

Curriculum Vitæ

Informazioni personali

Nome CUTTONE Giacomo
Indirizzo v. s. sofia 44 - 95123 - catania (CT)
Telefono ++ 39 095542325
Fax ++39 0957141815
E-mail cuttone@lns.infn.it
Cittadinanza ITA
Data di nascita 18/02/1960

Titoli di studio

Data di conseguimento 03/04/1983
Titolo conseguito Laurea (vecchio ordin.)
Descrizione Corso di laurea in Fisica- Università½ degli studi di catania
Voto conseguito 110/110 e lode
Nome e indirizzo istituzione Università½ degli Studi di CATANIA - P.zza dell'Universita',2 - CATANIA

Esperienze

Periodo 01/02/2012 - oggi
Posizione Ricercatore presso Ente di ricerca
Qualifica Dirigente di ricerca
Nome e indirizzo istituzione Istituto Nazionale di Fisica Nucleare - Via Enrico Fermi, 40 - Frascati (Roma)
Struttura Laboratori Nazionali del Sud

Elenco dei prodotti della ricerca

Aiello S., Akrame S. E., Ameli F., G. Anassontzis E., Andre M., Androulakis G., Anghinolfi M., Anton G., Ardid M., Aublin J., Avgitas T., Bagatelas C., Barbarino G., Baret B., Barrios-Marti J., Belias A., Berbee E., van den Berg A., Bertin V., Biagi S., Biagioni A., Biernoth C., Boumaaza J., Bourret S., Bouta M., Bouwhuis M., Bozza C., Branzas H., Bruchner M., Bruijn R., ... (2019). Sensitivity of the KM3NeT/ARCA neutrino telescope to point-like neutrino

sources. ASTROPARTICLE PHYSICS, vol. 111, p. 100-110, ISSN: 0927-6505, doi: 10.1016/j.astropartphys.2019.04.002

Cammarata F. P., Torrisi F., Forte G. I., Minafra L., Bravata V., Pisciotta P., Savoca G., Calvaruso M., Petringa G., Cirrone G. A., Fallacara A. L., Maccari L., Botta M., Schenone S., Parenti R., Cuttone G., Russo G. (2019). Proton Therapy and Src Family Kinase Inhibitor Combined Treatments on U87 Human Glioblastoma Multiforme Cell Line. INTERNATIONAL JOURNAL OF MOLECULAR SCIENCES, vol. 20, ISSN: 1422-0067, doi: 10.3390/ijms20194745

Nicotra M., Papaleo R., Cuttone G., Romano M. (2019). Impatto socio-economico di una infrastruttura di ricerca: una metodologia di misurazione. In: Management and sustainability: Creating shared value in the digital era. p. 237-264, Verona:Fondazione CUEIM, ISBN: 97888943937-4-3, Università la Sapienza, Roma, 20-21 giugno 2019

Aiello, S., Akrame, S. E., Ameli, F., Anassontzis, E. G., Andre, M., Androulakis, G., Anghinolfi, M., Anton, G., Ardid, M., Aublin, J., Avgitas, T., Baars, M., Bagatelas, C., Barbarino, G., Baret, B., Barrios-Martí, J., Belias, A., Berbee, E., Berg, A. Van Den, Bertin, V., Biagi, S., Biagioni, A., Biernoth, C., Bormuth, R., Boumaaza, J., Bourret, S., Bouwhuis, M., Bozza, C., Branzas, H., Briukhanova, N., ... (2018). Characterisation of the Hamamatsu photomultipliers for the KM3NeT Neutrino Telescope. JOURNAL OF INSTRUMENTATION, vol. 13, p. P05035, ISSN: 1748-0221, doi: 10.1088/1748-0221/13/05/P05035

Alessandra Tocco, Giuseppe Privitera, Luigi Raffaele, Vincenzo Salamone, Claudio Scoglio, Roberto Milazzotto, Dario Marletta, Giacomo Cuttone, Giuseppe Antonio Pablo Cirrone, Andrea Russo, Teresio Avitabile, Corrado Spatola (2018). Porocarcinoma of the eyelid treated with proton beam radiotherapy: Case report and literature review. ACTA MEDICA MEDITERRANEA, vol. 34, p. 709-712, ISSN: 0393-6384, doi: 10.19193/0393-6384_2018_3_109

Cirrone GAP, Manti L, Margarone D, Petringa G, Giuffrida

L, Minopoli A, Picciotto A, Russo G, Cammarata F, Pisciotta P, Perozziello FM, Romano F, Marchese V, Milluzzo G, Scuderi V, Cuttone G, Korn G (2018). First experimental proof of Proton Boron Capture Therapy (PBCT) to enhance protontherapy effectiveness. SCIENTIFIC REPORTS, vol. 8, ISSN: 2045-2322, doi: 10.1038/s41598-018-19258-5

R. Grasso, T. Abe, G. A. P. Cirrone, G. Cuttone, M. Gulino, F. Musumeci, F. Romano, H. Ryuto, A. Scordino (2018). Ultraweak delayed luminescence can monitor the effects of ion irradiation on seedlings growth. LNS. ACTIVITY REPORT, vol. 2015/16, p. 269-270, ISSN: 1827-1561

Tudisco, Salvatore, La Via, Francesco, Agodi, Clementina, Altana, Carmen, Borghi, Giacomo, Boscardin, Maurizio, Bussolino, Giancarlo, Calcagno, Lucia, Camarda, Massimo, Cappuzzello, Francesco, Carbone, Diana, Cascino, Salvatore, Casini, Giovanni, Cavallaro, Manuela, Ciampi, Caterina, Cirrone, Giuseppe, Cuttone, Giacomo, Fazzi, Alberto, Giove, Dario, Gorini, Giuseppe, Labate, Luca, Lanzalone, Gaetano, Litrico, Grazia, Longo, Giuseppe, Presti, Domenico Lo, Mauceri, Marco, Modica, Roberto, Moschetti, Maurizio, Muoio, Annamaria, Musumeci, Franco, ... (2018). Sicilia—silicon carbide detectors for intense luminosity investigations and applications. SENSORS, vol. 18, ISSN: 1424-8220, doi: 10.3390/s18072289

Adrian-Martinez S, Ageron M, Aiello S, Albert A, Ameli F, Anassontzis EG, Andre M, Androulakis G, Anghinolfi M, Anton G, Ardid M, Avgitas T, Barbarino G, Barbarito E, Baret B, Barrios-Marti J, Belias A, Berbee E, van den Berg A, Bertin V, Beurthey S, van Beveren V, Beverini N, Biagi S, Biagioni A, Billault M, Bondi M, Bormuth R, Bouhadeb B, Bourlis G, ... (2017). Intrinsic limits on resolutions in muon- and electron-neutrino charged-current events in the KM3NeT/ORCA detector. JOURNAL OF HIGH ENERGY PHYSICS, ISSN: 1029-8479, doi: 10.1007/JHEP05(2017)008

Adrian-Martinez S, Ageron M, Aiello S, Albert A, Ameli F, Anassontzis EG, Andre M, Androulakis G, Anghinolfi M, Anton G, Ardid M, Avgitas T, Barbarino G, Barbarito E, Baret B, Barrios-Marti J, Belias A, Berbee E, van den Berg

A, Bertin V, Beurthey S, van Beveren V, Beverini N, Biagi S, Biagioni A, Billault M, Bondi M, Bormuth R, Bouhadeb B, Bourlis G, ... (2017). Intrinsic limits on resolutions in muon- and electron-neutrino charged-current events in the KM3NeT/ORCA detector. JOURNAL OF HIGH ENERGY PHYSICS, ISSN: 1029-8479, doi: 10.1007/JHEP05(2017)008

Aguzzi J, Fanelli E, Ciuffardi T, Schirone A, Craig J, Aiello S, Ameli F, Anghinolf M, Barbarino G, Barbarito E, Beverini N, Biagi S, Biagioni A, Bouhadeb B, Bozza C, Cacopardo G, Calamai M, Calì C, Capone A, Caruso F, Cecchini S, Ceres A, Chiarusi T, Circella M, Cocimano R, Coniglione R, Costa M, Cuttone G, D'Amato C, D'Amico A, ... (2017). Inertial bioluminescence rhythms at the Capo Passero (KM3NeT-Italia) site, Central Mediterranean Sea. SCIENTIFIC REPORTS, vol. 7, 44938, ISSN: 2045-2322, doi: 10.1038/srep44938

Bolst D, Cirrone GAP, Cuttone G, Folger G, Incerti S, Ivanchenko V, Koi T, Mancusi D, Pandola L, Romano F, Rosenfeld AB, Guatelli S (2017). Validation of Geant4 fragmentation for Heavy Ion Therapy. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 869, p. 68-75, ISSN: 0168-9002, doi: 10.1016/j.nima.2017.06.046

Bruzzi M, Civinini C, Scaringella M, Bonanno D, Brianzi M, Carpinelli M, Cirrone GAP, Cuttone G, Lo Presti D, Maccioni G, Pallotta S, Randazzo N, Romano F, Sipala V, Talamonti C, Vanzi E (2017). Proton computed tomography images with algebraic reconstruction. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 845, p. 652-655, ISSN: 0168-9002, doi: 10.1016/j.nima.2016.05.056

Calabretta L, Calanna A, Cuttone G, D'Agostino G, Rifuggiato D, Russo AD (2017). Overview of the future upgrade of the INFN-LNS superconducting cyclotron. MODERN PHYSICS LETTERS A, vol. 32, ISSN: 0217-7323, doi: 10.1142/S0217732317400090

Calabretta L, Calanna A, Cuttone G, D'Agostino G, Rifuggiato D, Russo AD (2017). Overview of the future upgrade of the INFN-LNS superconducting cyclotron. MODERN PHYSICS LETTERS A, vol. 32, ISSN: 0217-7323, doi: 10.1142/S0217732317400090

Cirrone GAP, Cuttone G, Raffaele L, Salamone V, Avitabile T, Privitera G, Spatola C, Amico AG, Larosa G, Leanza R, Margarone D, Milluzzo G, Patti V, Petringa G, Romano F, Russo A, Russo A, Sabini MG, Schillaci F, Scuderi V, Valastro LM (2017). Clinical and Research Activities at the CATANA Facility of INFN-LNS: From the Conventional Hadrontherapy to the Laser-Driven Approach (vol 7, 223, 2017). FRONTIERS IN ONCOLOGY, vol. 7, ISSN: 2234-943X, doi: 10.3389/fonc.2017.00247

Cirrone GAP, Cuttone G, Raffaele L, Salamone V, Avitabile T, Privitera G, Spatola C, Margarone D, Patti V, Petringa G, Romano F, Russo A, Russo A, Sabini MG, Scuderi V, Schillaci F, Valastro LM (2017). Clinical and Research Activities at the CATANA Facility of INFN-LNS: From the Conventional Hadrontherapy to the Laser-Driven Approach. FRONTIERS IN ONCOLOGY, vol. 7, ISSN: 2234-943X, doi: 10.3389/fonc.2017.00223

Cirrone, Giuseppe A. P., Cuttone, Giacomo, Raffaele, Luigi, Salamone, Vincenzo, Avitabile, Teresio, Privitera, Giuseppe, Spatola, Corrado, Margarone, Daniele, Patti, Valeria, Petringa, Giada, Romano, Francesco, Russo, Andrea, Russo, Antonio, Sabini, Maria G., Scuderi, Valentina, Schillaci, Francesco, Valastro, Lucia M., RUSSO, ANDREA (2017). Clinical and research activities at the CATANA facility of INFN-LNS: From the conventional hadrontherapy to the laser-driven approach. FRONTIERS IN ONCOLOGY, vol. 7, ISSN: 2234-943X, doi: 10.3389/fonc.2017.00223

Civinini C, Bonanno D, Brianzi M, Carpinelli M, Cirrone GAP, Cuttone G, Lo Presti D, Maccioni G, Pallotta S, Randazzo N, Scaringella M, Romano F, Sipala V, Talamonti C, Vanzi E, Bruzzi M (2017). Proton Computed Tomography: iterative image reconstruction and dose evaluation. JOURNAL OF INSTRUMENTATION, vol. 12, ISSN: 1748-0221, doi: 10.1088/1748-0221/12/01/C01034

Civinini, Carlo, Scaringella, Monica, Bonanno, Danilo, Brianzi, Mirko, Carpinelli, Massimo, Cirrone, G. A. Pablo, Cuttone, Giacomo, Lo Presti, Domenico, Maccioni, Giorgia, Pallotta, Stefania, Randazzo, Nunzio, Romano, Francesco, Rovituso, Marta, Sipala, Valeria, Talamonti, Cinzia, Tommasino, Francesco, Vanzi, Eleonora, Bruzzi, Mara (2017). Proof-of-principle results of proton Computed Tomography. In: 2016 IEEE Nuclear Science Symposium, Medical Imaging Conference and Room-Temperature Semiconductor Detector Workshop, NSS/MIC/RTSD 2016. vol. 2017-, p. 1-6, Institute of Electrical and Electronics Engineers Inc., ISBN: 9781509016426, fra, 2016, doi: 10.1109/NSSMIC.2016.8069620

Forte GI, Minafra L, Bravata V, Cammarata FP, Lamia D, Pisciotta P, Cirrone GAP, Cuttone G, Gilardi MC, Russo G (2017). Radiogenomics: the utility in patient selection. TRANSLATIONAL CANCER RESEARCH, vol. 6, p. S852-S874, ISSN: 2218-676X, doi: 10.21037/tcr.2017.06.47

Keta OD, Todorovic DV, Bulat TM, Cirrone PG, Romano F, Cuttone G, Petrovic IM, Fira AMR (2017). Comparison of human lung cancer cell radiosensitivity after irradiations with therapeutic protons and carbon ions. EXPERIMENTAL BIOLOGY AND MEDICINE, vol. 242, p. 1015-1024, ISSN: 1535-3702, doi: 10.1177/1535370216669611

Merchant AH, Newall M, Guatelli S, Petasecca M, Lerch M, Perevertaylo V, Milluzzo G, Petringa G, Romano F, Cirrone GAP, Cuttone G, Jackson M, Rosenfeld AB (2017). Feasibility study of a novel multi-strip silicon detector for use in proton therapy range verification quality assurance. RADIATION MEASUREMENTS, vol. 106, p. 378-384, ISSN: 1350-4487, doi: 10.1016/j.radmeas.2017.03.017

Milluzzo G, Scuderi V, Amico AG, Borghesi M, Cirrone GAP, Cuttone G, De Napoli M, Doria D, Dostal J, Larosa G, Leanza R, Margarone D, Petringa G, Pipek J, Romagnani L, Romano F, Schillaci F, Velyhan A (2017). Laser-accelerated ion beam diagnostics with TOF detectors for the ELIMED beam line. JOURNAL OF INSTRUMENTATION, vol. 12, ISSN: 1748-0221, doi: 10.1088/1748-0221/12/02/C02025

Romano F, Cirrone GAP, Cuttone G, Schillaci F, Scuderi V, Amico A, Candiano G, Giordanengo S, Guarachi LF, Korn G, Larosa G, Leanza R, Manna R, Marchese V, Marchetto F, Margarone D, Milluzzo G, Petringa G, Pipek J, Sacchi R, Vignati A (2017). Status of the ELIMED multidisciplinary and medical beam-line at ELI-Beamlines. JOURNAL OF PHYSICS. CONFERENCE SERIES, vol. 777, ISSN: 1742-6588, doi: 10.1088/1742-6596/777/1/012016

Russo AD, Schillaci F, Pommarel L, Romano F, Amato A, Amico AG, Calanna A, Cirrone GAP, Costa M, Cuttone G, Amato C, De Luca G, Flacco FA, Gallo G, Giove D, Grmek A, La Rosa G, Leanza R, Maggiore M, Malka V, Milluzzo G, Petringa G, Pipek J, Scuderi V, Vauzour B, Zappala E (2017). Characterization of the ELIMED prototype permanent magnet quadrupole system. JOURNAL OF INSTRUMENTATION, vol. 12, ISSN: 1748-0221, doi: 10.1088/1748-0221/12/01/C01031

Russo G, Pisciotta P, Cirrone GAP, Romano F, Cammarata F, Marchese V, Forte GI, Lamia D, Minafra L, Bravata V, Acquaviva R, Gilardi MC, Cuttone G (2017). Preliminary study for small animal preclinical hadrontherapy facility. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 846, p. 126-134, ISSN: 0168-9002, doi: 10.1016/j.nima.2016.10.021

Sipala V, Bruzzi M, Bondi M, Bonanno D, Cadeddu S, Carpinelli M, Cirrone GAP, Civinini C, Cuttone G, Lai A, Leonora E, Lo Presti D, Maccioni G, Pallotta S, Randazzo N, Scaringella M, Talamonti C, Tesi M, Vanzi E (2017). A binary readout chip for silicon microstrip detector in proton imaging application. JOURNAL OF INSTRUMENTATION, vol. 12, ISSN: 1748-0221, doi: 10.1088/1748-0221/12/01/C01030

Spiriti E, Finck C, Baudot J, Divay C, Juliani D, Labalme M, Rousseau M, Salvador S, Vanstalle M, Agodi C, Cuttone G, De Napoli M, Romano F (2017). CMOS active pixel sensors response to low energy light ions. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH.

SECTION A, ACCELERATORS, SPECTROMETERS,
DETECTORS AND ASSOCIATED EQUIPMENT, vol. 875, p.
35-40, ISSN: 0168-9002, doi: 10.1016/j.nima.2017.08.058

Viola S, Grammauta R, Sciacca V, Bellia G, Beranzoli L,
Buscaino G, Caruso F, Chierici F, Cuttone G, D'Amico A,
De Luca V, Embriaco D, Favali P, Giovanetti G, Marinaro
G, Mazzola S, Filiciotto F, Pavan G, Pellegrino C, Pulvirenti
S, Simeone F, Speciale F, Riccobene G (2017). Continuous
monitoring of noise levels in the Gulf of Catania (Ionian
Sea). Study of correlation with ship traffic. MARINE
POLLUTION BULLETIN, vol. 121, p. 97-103, ISSN:
0025-326X, doi: 10.1016/j.marpolbul.2017.05.040

Adrian-Martinez S, Ageron M, Aharonian F, Aiello S,
Albert A, Ameli F, Anassontzis E, Andre M, Androulakis G,
Anghinolfi M, Anton G, Ardid M, Avgitas T, Barbarino G,
Barbarito E, Baret B, Barrios-Marti J, Belhorma B, Belias
A, Berbee E, van den Berg A, Bertin V, Beurthey S, van
Beveren V, Beverini N, Biagi S, Biagioni A, Billault M,
Bondi M, Bormuth R, ... (2016). Letter of intent for
KM3NeT 2.0. JOURNAL OF PHYSICS. G, NUCLEAR AND
PARTICLE PHYSICS, vol. 43, ISSN: 0954-3899, doi:
10.1088/0954-3899/43/8/084001

Adrian-Martinez S, Ageron M, Aharonian F, Aiello S,
Albert A, Ameli F, Anassontzis EG, Androulakis GC,
Anghinolfi M, Anton G, Anvar S, Ardid M, Avgitas T, Balasi
K, Band H, Barbarino G, Barbarito E, Barbato F, Baret B,
Baron S, Barrios J, Belias A, Berbee E, van den Berg AM,
Berkien A, Bertin V, Beurthey S, van Beveren V, Beverini
N, Biagi S, ... (2016). The prototype detection unit of the
KM3NeT detector. THE EUROPEAN PHYSICAL JOURNAL.
C, PARTICLES AND FIELDS, vol. 76, ISSN: 1434-6044,
doi: 10.1140/epjc/s10052-015-3868-9

Adrian-Martinez S, Ageron M, Aiello S, Albert A, Ameli F,
Anassontzis EG, Andre M, Androulakis G, Anghinolfi M,
Anton G, Ardid M, Avgitas T, Barbarino G, Barbarito E,
Baret B, Barrios-Marti J, Belias A, Berbee E, van den Berg
A, Bertin V, Beurthey S, van Beveren V, Beverini N, Biagi
S, Biagioni A, Billault M, Bondi M, Bormuth R, Bouhadeb B,
Bourlis G, ... (2016). A method to stabilise the performance

of negatively fed KM3NeT photomultipliers. JOURNAL OF INSTRUMENTATION, vol. 11, ISSN: 1748-0221, doi: 10.1088/1748-0221/11/12/P12014

Adrian-Martinez S, Aiello S, Ameli F, Anghinolfi M, Ardid M, Barbarino G, Barbarito E, Barbato FCT, Beverini N, Biagi S, Biagioni A, Bouhadeb B, Bozza C, Cacopardo G, Calamai M, Cali C, Calvo D, Capone A, Caruso F, Ceres A, Chiarusi T, Circella M, Cocimano R, Coniglione R, Costa M, Cuttone G, D'Amato C, D'Amico A, De Bonis G, De Luca V, ... (2016). Long term monitoring of the optical background in the Capo Passero deep-sea site with the NEMO tower prototype. THE EUROPEAN PHYSICAL JOURNAL. C, PARTICLES AND FIELDS, vol. 76, ISSN: 1434-6044, doi: 10.1140/epjc/s10052-016-3908-0

Adrián-Martínez S, Ageron M, Aharonian F, Aiello S, Albert A, Ameli F, Anassontzis EG, Androulakis GC, Anghinolfi M, Anton G, Anvar S, Ardid M, Avgitas T, Balasi K, Band H, Barbarino G, Barbarito E, Barbato F, Baret B, Baron S, Barrios J, Belias A, Berbee E, van den Berg AM, Berkien A, Bertin V, Beurthey S, van Beveren V, Beverini N, Biagi S, ... (2016). The prototype detection unit of the KM3NeT detector. THE EUROPEAN PHYSICAL JOURNAL. C, PARTICLES AND FIELDS, vol. 76, p. 1-12, ISSN: 1434-6044, doi: 10.1140/epjc/s10052-015-3868-9

Allison J, Amako K, Apostolakis J, Arce P, Asai M, Aso T, Bagli E, Bagulya A, Banerjee S, Barrand G, Beck BR, Bogdanov AG, Brandt D, Brown JMC, Burkhardt H, Canal P, Cano-Ott D, Chauvie S, Cho K, Cirrone GAP, Cooperman G, Cortes-Giraldo MA, Cosmo G, Cuttone G, Depaola G, Desorgher L, Dong X, Dotti A, Elvira VD, Folger G, ... (2016). Recent developments in GEANT4. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 835, p. 186-225, ISSN: 0168-9002, doi: 10.1016/j.nima.2016.06.125

Distefano C, Aiello S, Ameli F, Anghinolfi M, Barbarino G, Barbarito E, Barbato F, Beverini N, Biagi S, Bouhadeb B, Bozza C, Cacopardo G, Calamai M, Cali C, Capone A, Caruso F, Ceres A, Chiarusi T, Circella M, Cocimano R, Coniglione R, Costa M, Cuttone G, D'Amato C, D'Amico A,

De Bonis G, De Luca V, Deniskina N, De Rosa G, Di Capua F, ... (2016). Measurement of the atmospheric muon flux at 3500m depth with the NEMO Phase-2 detector. EPJ WEB OF CONFERENCES, vol. 121, ISSN: 2100-014X, doi: 10.1051/epjconf/201612105015

Giuffrida L, Margarone D, Cirrone GAP, Picciotto A, Cuttone G, Korn G (2016). Prompt gamma ray diagnostics and enhanced hadron-therapy using neutron-free nuclear reactions. AIP ADVANCES, vol. 6, ISSN: 2158-3226, doi: 10.1063/1.4965254

Grasso R, Abe T, Cirrone GAP, Cuttone G, Gulino M, Musumeci F, Romano F, Ryuto H, Scordino A (2016). Effects of Ion Irradiation on Seedlings Growth Monitored by Ultraweak Delayed Luminescence. PLOS ONE, vol. 11, ISSN: 1932-6203, doi: 10.1371/journal.pone.0167998

Jia SB, Romano F, Cirrone GAP, Cuttone G, Hadizadeh MH, Mowlavi AA, Raffaele L (2016). Designing a range modulator wheel to spread-out the Bragg peak for a passive proton therapy facility. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 806, p. 101-108, ISSN: 0168-9002, doi: 10.1016/j.nima.2015.10.006

Romano F, Schillaci F, Cirrone GAP, Cuttone G, Scuderi V, Allegra L, Amato A, Amico A, Candiano G, De Luca G, Gallo G, Giordanengo S, Guarachi LF, Korn G, Larosa G, Leanza R, Manna R, Marchese V, Marchetto F, Margarone D, Milluzzo G, Petringa G, Pipek J, Pulvirenti S, Rizzo D, Sacchi R, Salamone S, Sedita M, Vignati A (2016). The ELIMED transport and dosimetry beamline for laser-driven ion beams. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 829, p. 153-158, ISSN: 0168-9002, doi: 10.1016/j.nima.2016.01.064

Rosso V, Belcari N, Bisogni MG, Camarlinghi N, Cirrone GAP, Collini F, Cuttone G, Del Guerra A, Milluzzo G, Morrocchi M, Raffaele L, Romano F, Sportelli G, Zaccaro E (2016). DOPET: an in-treatment monitoring system for proton therapy at 62 MeV. JOURNAL OF

INSTRUMENTATION, vol. 11, ISSN: 1748-0221, doi:
10.1088/1748-0221/11/12/C12029

Schillaci F, Cirrone GAP, Cuttone G, Romano F, Scuderi V, Allegra L, Amato A, Ando L, Costa M, Gallo G, Leanza R, Maggiore M, Milluzzo G, Petringa G, Pipek J, Russo AD, Korn G, Margarone D, Leray MJ, Tasset-Maye O, Antoine S, Jehanno P (2016). Status of the ELIMED Beamline at the ELIMAIA facility. JOURNAL OF INSTRUMENTATION, vol. 11, ISSN: 1748-0221, doi:
10.1088/1748-0221/11/12/C12052

Schillaci F, Maggiore M, Ando L, Cirrone GAP, Cuttone G, Romano F, Scuderi V, Allegra L, Amato A, Gallo G, Korn G, Leanza R, Margarone D, Milluzzo G, Petringa G (2016). Design of a large acceptance, high efficiency energy selection system for the ELIMAIA beam-line. JOURNAL OF INSTRUMENTATION, vol. 11, ISSN: 1748-0221, doi:
10.1088/1748-0221/11/08/P08022

Schillaci F, Maggiore M, Cirrone GAP, Cuttone G, Pisciotto P, Costa M, Rifuggiato A D, Romano F, Scuderi V (2016). Design of the prototype of a beam transport line for handling and selection of low energy laser-driven beams. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 837, p. 80-87, ISSN: 0168-9002, doi:
10.1016/j.nima.2016.08.067

Schillaci F, Pommarel L, Romano F, Cuttone G, Costa M, Giove D, Maggiore M, Russo AD, Scuderi V, Malka V, Vauzour B, Flacco A, Cirrone GAP (2016). Characterization of the ELIMED Permanent Magnets Quadrupole system prototype with laser-driven proton beams. JOURNAL OF INSTRUMENTATION, vol. 11, ISSN: 1748-0221, doi:
10.1088/1748-0221/11/07/T07005

Toppi M, Abou-Haidar Z, Agodi C, Alvarez MAG, Aumann T, Balestra F, Battistoni G, Bocci A, Bohlen TT, Boudard A, Brunetti A, Carpinelli M, Cirio R, Cirrone GAP, Cortes-Giraldo MA, Cuttone G, De Napoli M, Durante M, Fernandez-Garcia JP, Finck C, Golosio B, Iarocci E, Iazzi F, Ickert G, Introzzi R, Juliani D, Krimmer J, Kummali AH, Kurz N, Labalme M, ... (2016). Measurement of

fragmentation cross sections of C-12 ions on a thin gold target with the FIRST apparatus. PHYSICAL REVIEW C, vol. 93, ISSN: 2469-9985, doi: 10.1103/PhysRevC.93.064601

Aiello S, Ameli F, Anghinolfi M, Barbarino G, Barbarito E, Barbato F, Beverini N, Biagi S, Bouhadeh B, Bozza C, Cacopardo G, Calamai M, Cali C, Capone A, Caruso F, Ceres A, Chiarusi T, Circella M, Cocimano R, Coniglione R, Costa M, Cuttone G, D'Amato C, D'Amico A, De Bonis G, De Luca V, Deniskina N, De Rosa G, Di Capua F, Distefano C, ... (2015). Measurement of the atmospheric muon depth intensity relation with the NEMO Phase-2 tower. ASTROPARTICLE PHYSICS, vol. 66, p. 1-7, ISSN: 0927-6505, doi: 10.1016/j.astropartphys.2014.12.010

Cirrone GAP, Cuttone G, Romano F, Schillaci F, Scuderi V, Amato A, Candiano G, Costa M, Gallo G, Larosa G, Korn G, Leanza R, Manna R, Maggiore M, Marchese V, Margarone D, Milluzzo G, Petringa G, Tramontana A (2015). Design and Status of the ELIMED Beam Line for Laser-Driven Ion Beams. APPLIED SCIENCES, vol. 5, p. 427-445, ISSN: 2076-3417, doi: 10.3390/app5030427

Cirrone GAP, Romano F, Scuderi V, Amato A, Candiano G, Cuttone G, Giove D, Korn G, Krasa J, Leanza R, Manna R, Maggiore M, Marchese V, Margarone D, Milluzzo G, Petringa G, Sabini MG, Schillaci F, Tramontana A, Valastro L, Velyhan A (2015). Transport and dosimetric solutions for the ELIMED laser-driven beam line. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 796, p. 99-103, ISSN: 0168-9002, doi: 10.1016/j.nima.2015.02.019

Marafini M, Attili A, Battistoni G, Belcari N, Bisogni MG, Camarlinghi N, Cappucci F, Cecchetti M, Cerello P, Ciciriello F, Cirrone GAP, Coli S, Corsi F, Cuttone G, De Lucia E, Ferretti S, Faccini R, Fiorina E, Frallicciardi PM, Giraudo G, Kostara E, Kraan A, Licciulli F, Liu B, Marino N, Marzocca C, Matarrese G, Morone C, Morrocchi M, Muraro S, ... (2015). The INSIDE Project: Innovative Solutions for In-Beam Dosimetry in Hadrontherapy. ACTA PHYSICA POLONICA A, vol. 127, p. 1465-1467, ISSN: 0587-4246

Pennazio F, Attili A, Battistoni G, Belcari N, Bisogni MG, Camarlinghi N, Cappuccio F, Cecchetti M, Cerello P, Ciciriello F, Cirrone GAP, Coli S, Corsi F, Cuttone G, De Lucia E, Ferretti S, Faccini R, Fiorina E, Frallicciardi PM, Giraudo G, Kostara E, Kraan A, Licciulli F, Liu B, Marafini M, Marino N, Marzocca C, Matarrese G, Morone C, Morrocchi M, ... (2015). A Study of Monitoring Performances with the INSIDE System. ACTA PHYSICA POLONICA A, vol. 127, p. 1468-1470, ISSN: 0587-4246

Schillaci F, Cirrone GAP, Cuttone G, Maggiore M, Ando L, Amato A, Costa M, Gallo G, Korn G, Larosa G, Leanza R, Manna R, Margarone D, Milluzzo G, Pulvirenti S, Romano F, Salamone S, Sedita M, Scuderi V, Tramontana A (2015). Design of the ELIMAIA ion collection system. JOURNAL OF INSTRUMENTATION, vol. 10, ISSN: 1748-0221, doi: 10.1088/1748-0221/10/12/T12001

Schillaci F, Maggiore M, Rifuggiato D, Cirrone GAP, Cuttone G, Giove D (2015). Errors and optics study of a permanent magnet quadrupole system. JOURNAL OF INSTRUMENTATION, vol. 10, ISSN: 1748-0221, doi: 10.1088/1748-0221/10/05/T05001

Sipala V, Randazzo N, Aiello S, Bruzzi M, Bucciolini M, Carpinelli M, Cirrone GAP, Civinini C, Cuttone G, Leonora E, Lo Presti D, Pallotta S, Pugliatti C, Scaringella M, Stancampiano C, Talamonti C, Vanzi E (2015). Design and characterisation of a YAG(Ce) calorimeter for proton Computed Tomography application. JOURNAL OF INSTRUMENTATION, vol. 10, ISSN: 1748-0221, doi: 10.1088/1748-0221/10/03/C03014

Adrian-Martinez S, Ageron M, Aharonian F, Aiello S, Albert A, Ameli F, Anassontzis EG, Anghinolfi M, Anton G, Anvar S, Ardid M, de Asmundis R, Balasi K, Band H, Barbarino G, Barbarito E, Barbato F, Baret B, Baron S, Belias A, Berbee E, van den Berg AM, Berkien A, Bertin V, Beurthey S, van Beveren V, Beverini N, Biagi S, Bianucci S, Billault M, ... (2014). Deep sea tests of a prototype of the KM3NeT digital optical module. THE EUROPEAN PHYSICAL JOURNAL. C, PARTICLES AND FIELDS, vol. 74, ISSN: 1434-6044, doi: 10.1140/epjc/s10052-014-3056-3

Agodi C, Battistoni G, Bellini F, Cirrone GAP, Collamati F, Cuttone G, De Lucia E, De Napoli M, Di Domenico A, Faccini R, Ferroni F, Fiore S, Gauzzi P, Iarocci E, Marafini M, Mattei I, Muraro S, Paoloni A, Patera V, Piersanti L, Romano F, Sarti A, Sciubba A, Vitale E, Voena C (2014). Charged particles flux measurement from PMMA irradiated by 80 MeV $u(-1)$ carbon ion beam (vol 57, pg 5667, 2012). PHYSICS IN MEDICINE AND BIOLOGY, vol. 59, p. 7563-7564, ISSN: 0031-9155, doi: 10.1088/0031-9155/59/23/7563

C Pellegrino, F Simeone, T Chiarusi, S Aiello, F Ameli, M Anghinolfi, G Barbarino, E Barbarito, F Barbato, N Beverini, S Biagi, B Bouhadeh, C Bozza, G Cacopardo, M Calamai, C Cali, A Capone, F Caruso, A Ceres, M Circella, R Cocimano, R Coniglione, M Costa, G Cuttone, C D'Amato, V D'Amato, A D'Amico, G DeBonis, V DeLuca, N Deniskina, ... (2014). The Trigger and Data Acquisition for the NEMO-Phase 2 Tower. In: Chad Finley Markus Ahlers Anastasios Belias Kay Graf Per Olof Hulth Klas Hultqvist Oleg Kalekin John Kelley Diego Real Perry Sandstrom Christian Walck Dawn Williams Juan de Dios Zornoza. AIP Conference Proceedings, 6th International Workshop on Very Large Volume Neutrino Telescopes. AIP CONFERENCE PROCEEDINGS, vol. 1630, p. 158-162, HUNTINGTON QUADRANGLE, STE 1NO1, MELVILLE, NY 11747-4501:AMER INST PHYSICS, ISBN: 9780735412699, ISSN: 1551-7616, doi: 10.1063/1.4902796

Camarlinghi N, Sportelli G, Battistoni G, Belcari N, Cecchetti M, Cirrone GAP, Cuttone G, Ferretti S, Kraan A, Retico A, Romano F, Sala P, Straub K, Tramontana A, Del Guerra A, Rosso V (2014). An in-beam PET system for monitoring ion-beam therapy: test on phantoms using clinical 62 MeV protons. JOURNAL OF INSTRUMENTATION, vol. 9, ISSN: 1748-0221, doi: 10.1088/1748-0221/9/04/C04005

Chiarusi T, Aiello S, Ameli F, Anghinolfi M, Barbarino G, Barbarito E, Barbato F, Beverini N, Biagi S, Bouhadeh B, Bozza C, Cacopardo G, Calamai M, Cali C, Capone A, Caruso F, Ceres A, Circella M, Cocimano R, Coniglione R, Costa M, Cuttone G, D'Amato C, D'Amato V, D'Amico A, DeBonis G, De Luca V, Deniskina N, De Rosa G, Distefano

C, ... (2014). Status and first results of the NEMO Phase-2 tower. JOURNAL OF INSTRUMENTATION, vol. 9, ISSN: 1748-0221, doi: 10.1088/1748-0221/9/03/C03045

Cirrone GAP, Tramontan A, Candiano G, Carpinelli M, Cavallaro S, Cutroneo M, Cuttone G, De Martinis C, Giove D, Krasa J, Korn G, Maggiore M, Margarone D, Pisciotta P, Prokupek J, Romano F, Schillaci F, Scuderi V, Torrisi L, Velyhan A (2014). A new Thomson Spectrometer for high energy laser-driven beams diagnostic. JOURNAL OF INSTRUMENTATION, vol. 9, ISSN: 1748-0221, doi: 10.1088/1748-0221/9/08/T08001

De Napoli M, Agodi C, Bondi M, Cappuzzello F, Carbone D, Cavallaro M, Cirrone GAP, Cuttone G, Nicolosi D, Pandola L, Raciti G, Romano F, Sardina D, Scuderi V, Tropea S (2014). Fragmentation cross sections at intermediate energies for hadrontherapy and space radiation protection. EPJ WEB OF CONFERENCES, vol. 66, ISSN: 2100-014X, doi: 10.1051/epjconf/20146610004

De Napoli M, Agodi C, Cirrone GAP, Cuttone G, Nicolosi D, Pandola L, Raciti G, Romano F, Sardina D, Scuderi V, Tropea S, Bondi M, Cappuzzello F, Carbone D, Cavallaro M (2014). Carbon Fragmentation Cross Sections for Hadrontherapy and Space Radiation Protection. NUCLEAR DATA SHEETS, vol. 119, p. 273-276, ISSN: 0090-3752, doi: 10.1016/j.nds.2014.08.075

De Napoli M, Romano F, D'Urso D, Licciardello T, Agodi C, Candiano G, Cappuzzello F, Cirrone GAP, Cuttone G, Musumarra A, Pandola L, Scuderi V (2014). Nuclear reaction measurements on tissue-equivalent materials and GEANT4 Monte Carlo simulations for hadrontherapy. PHYSICS IN MEDICINE AND BIOLOGY, vol. 59, p. 7643-7652, ISSN: 0031-9155, doi: 10.1088/0031-9155/59/24/7643

F. Schillaci, M. Maggiore, A. Velyhan, G. A. P. Cirrone, G. Cuttone, D. Margarone, G. Parasiliti Palumbo, P. Pisciotta, D. Rifuggiato, F. Romano, RUSSO G, V. Scuderi, C. Stancampiano, A. Tramontana, A. Amato, G. F. Caruso, S. Salamone (2014). Calibration and energy resolution study of a high dispersive power Thomson Parabola Spectrometer with monochromatic proton beams.

JOURNAL OF INSTRUMENTATION, vol. 9, p. 1-16, ISSN: 1748-0221, doi: 10.1088/1748-0221/9/10/T10003

G. Bellia, C. Giacomia, G. Pavan, A. Agodi, , G. Alonge, M. Barchitta, A. E. Biondo, G. Buscaino, C. Calabrò, F. Caruso, E. Conti, G. Costa, G. Cuttone, E. De Domenico, P. Favali, M. Ferrante, V. Ferrito, B. M. Lombardo, V. Maccarrone, C. Maiolino, S. Mazzola, G. Messina, T. Nicosia, E. Papale, A. M. Pappalardo, S. Pulvirenti, R. Reitano, G. Riccobene, C. Rocca, D. Santonocito, ... (2014). A multidisciplinary approach to the study and conservation of Cetaceans in the Mediterranean area.. In: Atti del 75° Congresso Nazionale dell'Unione Zoologica Italiana. THALASSIA SALENTINA, vol. 36, p. 100, ISSN: 0563-3745, Bari, 22-25 Settembre 2014

Keta O, Todorovic D, Popovic N, Koricanac L, Cuttone G, Petrovic I, Ristic-Fira A (2014). Radiosensitivity of human ovarian carcinoma and melanoma cells to gamma-rays and protons. ARCHIVES OF MEDICAL SCIENCE, vol. 10, p. 578-586, ISSN: 1734-1922, doi: 10.5114/aoms.2014.43751

Keta OD, Bulat TM, Koricanac LB, Zakula JJ, Cuttone G, Privitera G, Petrovic IM, Ristic-Fira AM (2014). RADIOSENSITIZATION OF NON-SMALL CELL LUNG CARCINOMA BY EGFR INHIBITION. NUCLEAR TECHNOLOGY & RADIATION PROTECTION, vol. 29, p. 233-241, ISSN: 1451-3994, doi: 10.2298/NTRP1403233K

Kraan AC, Battistoni G, Belcari N, Camarlinghi N, Cirrone GAP, Cuttone G, Ferretti S, Ferrari A, Pirrone G, Romano F, Sala P, Sportelli G, Straub K, Tramontana A, Del Guerra A, Rosso V (2014). Proton range monitoring with in-beam PET: Monte Carlo activity predictions and comparison with cyclotron data. PHYSICA MEDICA, vol. 30, p. 559-569, ISSN: 1120-1797, doi: 10.1016/j.ejmp.2014.04.003

Marinelli M, Pompili F, Prestopino G, Verona C, Verona-Rinati G, Cirrone GAP, Cuttone G, La Rosa RM, Raffaele L, Romano F, Tuve C (2014). Dosimetric characterization of a synthetic single crystal diamond detector in a clinical 62 MeV ocular therapy proton beam. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED

EQUIPMENT, vol. 767, p. 310-317, ISSN: 0168-9002, doi: 10.1016/j.nima.2014.09.004

Rescigno R, Finck C, Juliani D, Spiriti E, Baudot J, Abou-Haidar Z, Agodi C, Alvarez MAG, Aumann T, Battistoni G, Bocci A, Bohlen TT, Boudard A, Brunetti A, Carpinelli M, Cirrone GAP, Cortes-Giraldo MA, Cuttone G, De Napoli M, Durante M, Gallardo MI, Golosio B, Iarocci E, Iazzi F, Ickert G, Introzzi R, Krimmer J, Kurz N, Labalme M, Leifels Y, ... (2014). Performance of the reconstruction algorithms of the FIRST experiment pixel sensors vertex detector. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 767, p. 34-40, ISSN: 0168-9002, doi: 10.1016/j.nima.2014.08.024

Romano F, Cirrone GAP, Cuttone G, Di Rosa F, Mazzaglia SE, Petrovic I, Fira AR, Varisano A (2014). A Monte Carlo study for the calculation of the average linear energy transfer (LET) distributions for a clinical proton beam line and a radiobiological carbon ion beam line. PHYSICS IN MEDICINE AND BIOLOGY, vol. 59, p. 2863-2882, ISSN: 0031-9155, doi: 10.1088/0031-9155/59/12/2863

Rossomme S, Palmans H, Thomas R, Lee N, Duane S, Bailey M, Shipley D, Bertrand D, Romano F, Cirrone P, Cuttone G, Vynckier S (2014). REFERENCE DOSIMETRY FOR LIGHT-ION BEAMS BASED ON GRAPHITE CALORIMETRY. RADIATION PROTECTION DOSIMETRY, vol. 161, p. 92-95, ISSN: 0144-8420, doi: 10.1093/rpd/nct299

SCHILLACI, FRANCESCO, Cirrone, Giuseppe A. P., Korn, George, MAGGIORE, Mario, Margarone, Daniele, CALABRETTA, LUCIANO, CAVALLARO, Salvatore, CUTTONE, GIACOMO, Gammino, Santo, Krasa, Josef, Prokupek, Jan, Velyhan, Andriy, RENIS, Marcella, ROMANO, Francesco Paolo, TOMASELLO, BARBARA, Torrisi, Lorenzo, Cutroneo, Mariapompea, TRAMONTANA, ANTONELLA (2014). Elimed: Medical application at eli-beamlines. status of the collaboration and first results. ACTA POLYTECHNICA, vol. 54, p. 285-289, ISSN: 1210-2709, doi: 10.14311/AP.2014.54.0285

Scaringella M, Bruzzi M, Bucciolini M, Carpinelli M, Cirrone GAP, Civinini C, Cuttone G, Lo Presti D, Pallotta S, Pugliatti C, Randazzo N, Romano F, Sipala V, Stancampiano C, Talamonti C, Vanzi E, Zani M (2014). A proton Computed Tomography based medical imaging system. JOURNAL OF INSTRUMENTATION, vol. 9, ISSN: 1748-0221, doi: 10.1088/1748-0221/9/12/C12009

Schillaci F, Anzalone A, Cirrone GAP, Carpinelli M, Cuttone G, Cutroneo M, De Martinis C, Giove D, Korn G, Maggiore M, Manti L, Margarone D, Musumarra A, Perozziello FM, Petrovic I, Pisciotta P, Renis M, Ristic-Fira A, Romano F, Romano FP, Schettino G, Scuderi V, Torrisi L, Tramontana A, Tudisco S (2014). ELIMED, MEDical and multidisciplinary applications at ELI-Beamlines. JOURNAL OF PHYSICS. CONFERENCE SERIES, vol. 508, ISSN: 1742-6588, doi: 10.1088/1742-6596/508/1/012010

Schillaci F, Maggiore M, Velyhan A, Cirrone GAP, Cuttone G, Margarone D, Palumbo GP, Pisciotta P, Rifuggiato D, Romano F, Russo G, Scuderi V, Stancampiano C, Tramontana A, Amato A, Caruso GF, Salamone S (2014). Calibration and energy resolution study of a high dispersive power Thomson Parabola Spectrometer with monochromatic proton beams. JOURNAL OF INSTRUMENTATION, vol. 9, ISSN: 1748-0221, doi: 10.1088/1748-0221/9/10/T10003

Scuderi V, Jia SB, Carpinelli M, Cirrone GAP, Cuttone G, Korn G, Licciardello T, Maggiore M, Margarone D, Pisciotta P, Romano F, Schillaci F, Stancampiano C, Tramontana A (2014). Development of an energy selector system for laser-driven proton beam applications. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 740, p. 87-93, ISSN: 0168-9002, doi: 10.1016/j.nima.2013.10.037

Sportelli G, Belcari N, Camarlinghi N, Cirrone GAP, Cuttone G, Ferretti S, Kraan A, Ortuno JE, Romano F, Santos A, Straub K, Tramontana A, Del Guerra A, Rosso V (2014). First full-beam PET acquisitions in proton therapy

with a modular dual-head dedicated system. PHYSICS IN MEDICINE AND BIOLOGY, vol. 59, p. 43-60, ISSN: 0031-9155, doi: 10.1088/0031-9155/59/1/43

Tramontana A, Anzalone A, Candiano G, Carpinelli M, Cirrone GAP, Cuttone G, Korn G, Licciardello T, Maggiore M, Manti L, Margarone D, Musumarra A, Perozziello F, Pisciotta P, Raffaele L, Romano F, Romano FP, Stancampiano C, Schillaci F, Scuderi V, Torrisi L, Tudiscob S (2014). Medical research and multidisciplinary applications with laser-accelerated beams: the ELIMED network at ELI-Beamlines. JOURNAL OF INSTRUMENTATION, vol. 9, ISSN: 1748-0221, doi: 10.1088/1748-0221/9/04/C04026

Tramontana A, Candiano G, Carpinelli M, Cirrone GAP, Cuttone G, Jia SB, Korn G, Licciardello T, Maggiore M, Manti L, Margarone D, Pisciotta P, Romano F, Stancampiano C, Schillaci F, Scuderi V (2014). The Energy Selection System for the laser-accelerated proton beams at ELI-Beamlines. JOURNAL OF INSTRUMENTATION, vol. 9, ISSN: 1748-0221, doi: 10.1088/1748-0221/9/05/C05065

Tropea S, De Napoli M, Agodi C, Blancato AA, Bondi M, Cappuzzello F, Carbone D, Cavallaro M, Cirrone GAP, Cuttone G, Giaccoppo F, Nicolosi D, Pandola L, Raciti G, Rapisarda E, Romano F, Sardina D, Scuderi V, Sfienti C (2014). MEASUREMENT OF FRAGMENT PRODUCTION CROSS SECTIONS IN THE C-12+C-12 AND C-12+Au-197 REACTIONS AT 62 A MeV FOR HADRON THERAPY AND SPACE RADIATION PROTECTION. ACTA PHYSICA POLONICA B, vol. 45, p. 565-569, ISSN: 0587-4254, doi: 10.5506/APhysPolB.45.565

VIOLA, SALVATORE, Aiello S, Ameli F, Anghinolfi M, Barbagallo G, Barbarino G, Barbarito E, Barbato F, Bellotti G, Beverini N, Biagi S, Bouhadeb B, Bozza C, CACOPARDO, GIULIA, Calamai M, Calí C, Capone A, Caruso F, Cecioni C, Ceres A, Chiarusi T, Chierici F, Circella M, Cocimano R, Coniglione R, Costa M, Cuttone G, D'Amato C, D'Amato V, D'Amico A, ... (2014). Underwater acoustic positioning system for the SMO and KM3NeT-Italia projects. In: Chad Finley Markus Ahlers Anastasios Belias Kay Graf Per Olof Hulth Klas Hultqvist Oleg Kalekin John Kelley Diego Real Perry Sandstrom Christian Walck Dawn WilliamsJuan de

Dios Zornoza. AIP Conference Proceedings, 6TH International workshop on very large volume neutrino telescopes. vol. 1630, p. 134-137, ISBN: 9780735412699, doi: 10.1063/1.4902790

Agodi C, Abou-Haidar Z, Alvarez MAG, Aumann T, Balestra F, Battistoni G, Bocci A, Bohlen TT, Bondi M, Boudard A, Brunetti A, Carpinelli M, Cappuzzello F, Cavallaro M, Carbone D, Cirrone GAP, Cortes-Giraldo MA, Cuttone G, De Napoli M, Durante M, Fernandez-Garcia JP, Finck C, Foti A, Gallardo MI, Golosio B, Iarocci E, Iazzi F, Ickert G, Introzzi R, Juliani D, ... (2013). FIRST experiment: Fragmentation of Ions Relevant for Space and Therapy. JOURNAL OF PHYSICS. CONFERENCE SERIES, vol. 420, ISSN: 1742-6588, doi: 10.1088/1742-6596/420/1/012061

Agodi C, Bellini F, Cirrone GAP, Collamati F, Cuttone G, De Lucia E, De Napoli M, Di Domenico A, Faccini R, Ferroni F, Fiore S, Gauzzi P, Iarocci E, Marafini M, Mattei I, Paoloni A, Patera V, Piersanti L, Romano F, Sarti A, Sciubba A, Voena C (2013). Precise measurement of prompt photon emission from 80 MeV/u carbon ion beam irradiation (vol 7, P03001, 2012). JOURNAL OF INSTRUMENTATION, vol. 8, ISSN: 1748-0221, doi: 10.1088/1748-0221/8/11/E11002

Alemanno E, Caricato AP, Chiodini G, Corvaglia A, Cirrone GAP, Cuttone G, Dinardo M, Dangelo P, De Napoli M, Fiore G, Kwan S, Malvezzi S, Leone A, Martino M, Menasce D, Moroni L, Pedrini D, Perrino R, Randazzo N, Pinto C, Rivera R, Spagnolo S, Sipala V, Tuve C, Uplegger L (2013). Radiation damage of polycrystalline diamond exposed to 62 MeV protons. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 730, p. 152-154, ISSN: 0168-9002, doi: 10.1016/j.nima.2013.06.008

CIRRONE, GIUSEPPE ANTONIO PABLO, MARGARONE, DOMENICA, MAGGIORE, MARIO, Anzalone, A, Borghesi, M, Jia, Sb, Bulanov, Ss, Bulanov, S, Carpinelli, M, CAVALLARO, Salvatore, CUTRONEO, PAOLA MARIA, CUTTONE, GIACOMO, FAVETTA, MARCO, Gammino, S, Klimo, O, Manti, L, Korn, G, MALFA, GIUSEPPE, Limpouch, J, MUSUMARRA, Agatino, Petrovic, I,

Prokupek, J, Psikal, J, Ristic Fira, A, RENIS, Marcella, ROMANO, Francesco Paolo, Romeno, F, Schettino, G, SCHILLACI, FRANCESCO, ... (2013). ELIMED: A new hadron therapy concept based on laser driven ion beams. In: Laser Acceleration of Electrons, Protons, and Ions II; and Medical Applications of Laser-Generated Beams of Particles II; and Harnessing Relativistic Plasma Waves III. vol. 8779, 87791I, ISBN: 978-081949581-5, doi: 10.1117/12.2026530

Cirrone GAP, Carpinelli M, Cuttone G, Gammino S, Jia SB, Korn G, Maggiore M, Manti L, Margarone D, Prokupek J, Renis M, Romano F, Schillaci F, Tomasello B, Torrisi L, Tramontana A, Velyhan A (2013). ELIMED, future hadrontherapy applications of laser-accelerated beams. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 730, p. 174-177, ISSN: 0168-9002, doi: 10.1016/j.nima.2013.05.051

Civinini C, Bruzzi M, Bucciolini M, Carpinelli M, Cirrone GAP, Cuttone G, Lo Presti D, Pallotta S, Pugliatti C, Randazzo N, Romano F, Scaringella M, Sipala V, Stancampiano C, Talamonti C, Vanzi E, Zani M (2013). Recent results on the development of a proton computed tomography system. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 732, p. 573-576, ISSN: 0168-9002, doi: 10.1016/j.nima.2013.05.147

Koricanac L, Zakula J, Keta O, Cirrone P, Cuttone G, Ristic-Fira A, Petrovic I (2013). CARBON IONS INDUCE DNA DOUBLE STRAND BREAKS AND APOPTOSIS IN HTB140 MELANOMA CELLS. NUCLEAR TECHNOLOGY & RADIATION PROTECTION, vol. 28, p. 195-203, ISSN: 1451-3994, doi: 10.2298/NTRP1302195K

Rossomme S, Palmans H, Shipley D, Thomas R, Lee N, Romano F, Cirrone P, Cuttone G, Bertrand D, Vynckier S (2013). Conversion from dose-to-graphite to dose-to-water in an 80 MeV/A carbon ion beam. PHYSICS IN MEDICINE AND BIOLOGY, vol. 58, p. 5363-5380, ISSN: 0031-9155, doi: 10.1088/0031-9155/58/16/5363

Scaringella M, Brianzi M, Bruzzi M, Bucciolini M, Carpinelli M, Cirrone GAP, Civinini C, Cuttone G, Lo Presti D, Pallotta S, Pugliatti C, Randazzo N, Romano F, Sipala V, Stancampiano C, Talamonti C, Tesi M, Vanzi E, Zani M (2013). The PRIMA (PRoton IMAGING) collaboration: Development of a proton Computed Tomography apparatus. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 730, p. 178-183, ISSN: 0168-9002, doi: 10.1016/j.nima.2013.05.181

Sipala V, Bruzzi M, Bucciolini M, Carpinelli M, Cirrone GAP, Civinini C, Cuttone G, Lo Presti D, Pallotta S, Pugliatti C, Randazzo N, Romano F, Scaringella M, Stancampiano C, Talamonti C, Tesi M, Vanzi E, Zani M (2013). A proton Computed Tomography system for medical applications. JOURNAL OF INSTRUMENTATION, vol. 8, ISSN: 1748-0221, doi: 10.1088/1748-0221/8/02/C02021

Sportelli G, Straub K, Aiello M, Attanasi F, Belcari N, Camarlinghi N, Cirrone GAP, Cuttone G, Ferretti S, Marino N, Nicolosi D, Romano F, Rosso V, Del Guerra A (2013). Full in-beam PET measurements of 62 MeV protons onto a PMMA target. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 718, p. 151-153, ISSN: 0168-9002, doi: 10.1016/j.nima.2012.08.100

V. Sipala, M. Bruzzi, M. Bucciolini, M. Carpinelli, G. A. P. Cirrone, C. Civinini, G. Cuttone, LO PRESTI D, S. Pallotta, C. Pugliatti, N. Randazzo, F. Romano, M. Scaringella, C. Stancampiano, C. Talamonti, M. Tesi, E. Vanzi, Zani M (2013). A proton Computed Tomography system for medical applications. JOURNAL OF INSTRUMENTATION, vol. 8, C02021, ISSN: 1748-0221, doi: 10.1088/1748-0221/8/02/C02021

Vanzi E, Bruzzi M, Bucciolini M, Cirrone GAP, Civinini C, Cuttone G, Lo Presti D, Pallotta S, Pugliatti C, Randazzo N, Romano F, Scaringella M, Sipala V, Stancampiano C, Talamonti C, Zani M (2013). The PRIMA collaboration: Preliminary results in FBP reconstruction of pCT data.

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 730, p. 184-190, ISSN: 0168-9002, doi: 10.1016/j.nima.2013.05.193

Abou-Haidar Z, Agodi C, Alvarez MAG, Anelli M, Aumann T, Battistoni G, Bocci A, Bohlen TT, Boudard A, Brunetti A, Carpinelli M, Cirrone GAP, Cortes-Giraldo MA, Cuttone G, De Napoli M, Durante M, Fernandez-Garcia JP, Finck C, Gallardo MI, Golosio B, Iarocci E, Iazzi F, Ickert G, Introzzi R, Juliani D, Krimmer J, Kurz N, Labalme M, Leifels Y, Le Fevre A, ... (2012). Performance of upstream interaction region detectors for the FIRST experiment at GSI. JOURNAL OF INSTRUMENTATION, vol. 7, ISSN: 1748-0221, doi: 10.1088/1748-0221/7/02/P02006

Agodi C, Battistoni G, Bellini F, Cirrone GAP, Collamati F, Cuttone G, De Lucia E, De Napoli M, Di Domenico A, Faccini R, Ferroni F, Fiore S, Gauzzi P, Iarocci E, Marafini M, Mattei I, Muraro S, Paoloni A, Patera V, Piersanti L, Romano F, Sarti A, Sciubba A, Vitale E, Voena C (2012). Charged particle's flux measurement from PMMA irradiated by 80 MeV/u carbon ion beam. PHYSICS IN MEDICINE AND BIOLOGY, vol. 57, p. 5667-5678, ISSN: 0031-9155, doi: 10.1088/0031-9155/57/18/5667

Agodi C, Bellini F, Cirrone GAP, Collamati F, Cuttone G, De Lucia E, De Napoli M, Di Domenico A, Faccini R, Ferroni F, Fiore S, Gauzzi P, Iarocci E, Marafini M, Mattei I, Paoloni A, Patera V, Piersanti L, Romano F, Sarti A, Sciubba A, Voena C (2012). Precise measurement of prompt photon emission from 80 MeV/u carbon ion beam irradiation. JOURNAL OF INSTRUMENTATION, vol. 7, ISSN: 1748-0221, doi: 10.1088/1748-0221/7/03/P03001

Agodi C, Bellini F, Cirrone GAP, Collamati F, Cuttone G, De Lucia E, De Napoli M, Di Domenico A, Faccini R, Ferroni F, Fiore S, Gauzzi P, Iarocci E, Marafini M, Mattei I, Paoloni A, Patera V, Piersanti L, Romano F, Sarti A, Sciubba A, Voena C (2012). Study of the time and space distribution of beta(+) emitters from 80 MeV/u carbon ion beam irradiation on PMMA. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol.

283, p. 1-8, ISSN: 0168-583X, doi:
10.1016/j.nimb.2012.04.021

Belcari N, Sportelli G, Camarlinghi N, Straub K, Ferretti S, Marino N, Cirrone GAP, Cuttone G, Romano F, Rosso V, Del Guerra A (2012). Precision of the measurements of distal fall-off of dose profiles in carbon ion therapy with a dedicated in-room PET system. EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING, vol. 39, p. S499, ISSN: 1619-7070

De Napoli M, Agodi C, Battistoni G, Blancato AA, Cirrone GAP, Cuttone G, Giacoppo F, Morone MC, Nicolosi D, Pandola L, Patera V, Raciti G, Rapisarda E, Romano F, Sardina D, Sarti A, Sciubba A, Scuderi V, Sfienti C, Tropea S (2012). Carbon fragmentation measurements and validation of the GEANT4 nuclear reaction models for hadrontherapy. PHYSICS IN MEDICINE AND BIOLOGY, vol. 57, p. 7651-7671, ISSN: 0031-9155, doi:
10.1088/0031-9155/57/22/7651

IRINA BARAN, CONSTANTA GANEA, SIMONA PRIVITERA, SCORDINO, Agata, BARRESI, VINCENZA, MUSUMECI, Francesco, MARIA MAGDALENA MOCANU, CONDORELLI, Daniele Filippo, IOAN URSU, GRASSO, ROSARIA, MARISA GULINO, ALEXANDRU GARAIMAN, NICOLÒ MUSSO, GIUSEPPE A. PABLO CIRRONE, CUTTONE, GIACOMO (2012). Detailed Analysis of Apoptosis and Delayed Luminescence of Human Leukemia Jurkat T Cells after Proton Irradiation and Treatments with Oxidant Agents and Flavonoids. OXIDATIVE MEDICINE AND CELLULAR LONGEVITY, vol. 2012, p. 498914-1-498914-14, ISSN: 1942-0900, doi:
10.1155/2012/498914

Korićanac Lela, Ćakula Jelena, Cirrone G.A. Pablo, Privitera Giuseppe, Cuttone Giacomo, Petrović Ivan, Ristić-Fira Aleksandra (2012). Variation of apoptotic pathway regulators by fotemustine and protons in a human melanoma cell line. ADVANCED SCIENCE LETTERS, vol. 5, p. 552-559, ISSN: 1936-6612, doi:
10.1166/asl.2012.2150

Marrale M, Longo A, Bartolotta A, Basile S, D'Oca MC, Tomarchio E, Cirrone GAP, Di Rosa F, Romano F, Cuttone

G, Brai M (2012). Thermoluminescence response of sodalime glass irradiated with proton and neutron beams. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 292, p. 55-58, ISSN: 0168-583X, doi: 10.1016/j.nimb.2012.10.003

Pleskac R, Abou-Haidar Z, Agodi C, Alvarez MAG, Aumann T, Battistoni G, Bocci A, Bohlen TT, Boudard A, Brunetti A, Carpinelli M, Cirrone GAP, Cortes-Giraldo MA, Cuttone G, De Napoli M, Durante M, Fernandez-Garcia JP, Finck C, Golosio B, Gallardo MI, Iarocci E, Iazzi F, Ickert G, Introzzi R, Juliani D, Krimmer J, Kurz N, Labalme M, Leifels Y, Le Fevre A, ... (2012). The FIRST experiment at GSI. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 678, p. 130-138, ISSN: 0168-9002, doi: 10.1016/j.nima.2012.02.020

Calcinai B, Bavestrello G, Cuttone G, Cerrano C (2011). Excavating sponges from the Adriatic Sea: description of *Cliona adriatica* sp nov (Demospongiae: Clionidae) and estimation of its boring activity. JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM, vol. 91, p. 339-346, ISSN: 0025-3154, doi: 10.1017/S0025315410001050

Cirrone G. A. P., Bucciolini M., Bruzzi M., Candiano G., Civinini C., Cuttone G., Guarino P., Lo Presti D, Mazzaglia S. E., Pallotta S., Randazzo N., Sipala V., Stancampiano C., Talamonti C. (2011). Monte Carlo evaluation of the Filtered Back Projection method for image reconstruction in proton computed tomography. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 658, p. 78-83, ISSN: 0168-9002, doi: 10.1016/j.nima.2011.05.061

Cuttone G (2011). Dosimetry Techniques for Ions Beams. In: Ion Beam Therapy. ISBN: 978-3-642-21413-4, doi: 10.1007/978-3-642-21414-1

G. Cuttone, G.A.P. Cirrone, Di Franco G, V. La Monaca, S. Lo Nigro, J. Ott, S. Pittera, Privitera G, L. Raffaele, A.

Reibaldi, M.G. Sabini, V. Salamone, M. Sanfilippo, C. Spatola, and L.M. Valastro (2011). CATANA protontherapy facility: The state of art of clinical and dosimetric experience. THE EUROPEAN PHYSICAL JOURNAL PLUS, vol. 126: 65 DOI: 10.1140/epjp/i2011-11065-1, p. 2-7, ISSN: 2190-5444, doi: 10.1140/epjp/i2011-11065-1

Givehchi N, Marchetto F, Valastro LM, Ansarinejad A, Attili A, Garella MA, Giordanengo S, Monaco V, Montero JP, Sacchi R, Boriani A, Bourhaleb F, Cirio R, La Rosa A, Pecka A, Peroni C, Cirrone GAP, Cuttone G, Donetti M, Iliescu S, Pittera S, Raffaele L (2011). Online beam monitoring in the treatment of ocular pathologies at the INFN Laboratori Nazionali del Sud-Catania. PHYSICA MEDICA, vol. 27, p. 233-240, ISSN: 1120-1797, doi: 10.1016/j.ejmp.2010.10.004

Givehchi N, Marchetto F, Valastro LM, Ansarinejad A, Attili A, Garella MA, Giordanengo S, Monaco V, Montero JP, Sacchi R, Boriani A, Bourhaleb F, Cirio R, La Rosa A, Pecka A, Peroni C, Cirrone GAP, Cuttone G, Donetti M, Iliescu S, Pittera S, Raffaele L (2011). Online beam monitoring in the treatment of ocular pathologies at the INFN Laboratori Nazionali del Sud-Catania. PHYSICA MEDICA, vol. 27, p. 233-240, ISSN: 1120-1797, doi: 10.1016/j.ejmp.2010.10.004

Rifuggiato D, Calabretta L, Celona L, Chines F, Cosentino L, Cuttone G, Finocchiaro P, Pappalardo A, Re M, Rovelli A (2011). Radioactive ion beam facilities at INFN LNS. JOURNAL OF PHYSICS. CONFERENCE SERIES, vol. 267, ISSN: 1742-6588, doi: 10.1088/1742-6596/267/1/012007

Ristic-Fira A, Koricanac L, Zakula J, Keta O, Iannolo G, Cuttone G, Petrovic I (2011). PROTON INACTIVATION OF MELANOMACELLS ENHANCED BY FOTEMUSTINE. RADIATION PROTECTION DOSIMETRY, vol. 143, p. 503-507, ISSN: 0144-8420, doi: 10.1093/rpd/ncq527

Ristic-Fira A, Koricanac L, Zakula J, Keta O, Iannolo G, Cuttone G, Petrovic I (2011). PROTON INACTIVATION OF MELANOMACELLS ENHANCED BY FOTEMUSTINE. RADIATION PROTECTION DOSIMETRY, vol. 143, p. 503-507, ISSN: 0144-8420, doi: 10.1093/rpd/ncq527

Ristic-Fira A, Todorovic D, Zakula J, Keta O, Cirrone P,

Cuttone G, Petrovic I (2011). Response of Human HTB140 Melanoma Cells to Conventional Radiation and Hadrons. PHYSIOLOGICAL RESEARCH, vol. 60, p. S129-S135, ISSN: 0862-8408

Ristic-Fira A, Todorovic D, Zakula J, Keta O, Cirrone P, Cuttone G, Petrovic I (2011). Response of Human HTB140 Melanoma Cells to Conventional Radiation and Hadrons. PHYSIOLOGICAL RESEARCH, vol. 60, p. S129-S135, ISSN: 0862-8408

Rizzo F, Cirrone G P, Cuttone G, Esposito A, Garraffo S, Pappalardo G, Pappalardo L, Romano F P, Russo S (2011). Non-destructive determination of the silver content in Roman coins (nummi), dated to 308-311 AD, by the combined use of PIXE-alpha, XRF and DPAA techniques. MICROCHEMICAL JOURNAL, vol. 97, p. 286-290, ISSN: 0026-265X, doi: DOI: 10 1016/j microc 2010 09 017

Sipala V, Brianzi M, Bruzzi M, Bucciolini M, Cirrone GAP, Civinini C, Cuttone G, Lo Presti D, Pallotta S, Randazzo N, Romano F, Stancampiano C, Scaringella M, Talamonti C, Tesi M (2011). PRIMA: An apparatus for medical application. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 658, p. 73-77, ISSN: 0168-9002, doi: 10.1016/j.nima.2011.05.025

Sipala V., Brianzi M., Bruzzi M., Bucciolini M., Cirrone G. A. P., Civinini C., Cuttone G., Lo Presti D, Pallotta S., Randazzo N., Romano F., Stancampiano C., Scaringella M., Talamonti C., Tesi M. (2011). PRIMA: An apparatus for medical application. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 658, p. 73-77, ISSN: 0168-9002, doi: 10.1016/j.nima.2011.05.025

Sipala V., Randazzo N., Aiello S., Leonora E., Lo Presti D, Russo M., Stancampiano C., Cirrone G. A. P., Cuttone G., Romano F., Civinini C., Scaringella M., Bashkirov V. A., Schulte R. W. (2011). YAG(Ce) crystal characterization with proton beams. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A,

ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 654, p. 349-353, ISSN: 0168-9002, doi: 10.1016/j.nima.2011.07.008

Storelli MM, Cuttone G, Marcotrigiano GO (2011). Distribution of trace elements in the tissues of smooth hound *Mustelus mustelus* (Linnaeus, 1758) from the southern-eastern waters of Mediterranean Sea (Italy). ENVIRONMENTAL MONITORING AND ASSESSMENT, vol. 174, p. 271-281, ISSN: 0167-6369, doi: 10.1007/s10661-010-1456-x

Agosteo S, Cirrone GAP, Colautti P, Cuttone G, D'Angelo G, Fazzi A, Introini MV, Moro D, Pola A, Varoli V (2010). Study of a silicon telescope for solid state microdosimetry: Preliminary measurements at the therapeutic proton beam line of CATANA. RADIATION MEASUREMENTS, vol. 45, p. 1284-1289, ISSN: 1350-4487, doi: 10.1016/j.radmeas.2010.06.051

Agosteo S, Cirrone GAP, Colautti P, Cuttone G, D'Angelo G, Fazzi A, Introini MV, Moro D, Pola A, Varoli V (2010). Study of a silicon telescope for solid state microdosimetry: Preliminary measurements at the therapeutic proton beam line of CATANA. RADIATION MEASUREMENTS, vol. 45, p. 1284-1289, ISSN: 1350-4487, doi: 10.1016/j.radmeas.2010.06.051

Attanasi F, Belcari N, Moehrs S, Rosso V, Vecchio S, Cirrone GAP, Cuttone G, Lojacono P, Romano F, Lanconelli N, Del Guerra A (2010). Characterization of an In-Beam PET Prototype for Proton Therapy With Different Target Compositions. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 57, p. 1563-1569, ISSN: 0018-9499, doi: 10.1109/TNS.2010.2048124

Attanasi F, Belcari N, Moehrs S, Rosso V, Vecchio S, Cirrone GAP, Cuttone G, Lojacono P, Romano F, Lanconelli N, Del Guerra A (2010). Characterization of an In-Beam PET Prototype for Proton Therapy With Different Target Compositions. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 57, p. 1563-1569, ISSN: 0018-9499, doi: 10.1109/TNS.2010.2048124

Cirrone GAP, Cuttone G, Di Rosa F, Pandola L, Romano F, Zhang Q (2010). Validation of the Geant4 electromagnetic

photon cross-sections for elements and compounds. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 618, p. 315-322, ISSN: 0168-9002, doi: 10.1016/j.nima.2010.02.112

Cirrone GAP, Cuttone G, Di Rosa F, Pandola L, Romano F, Zhang Q (2010). Validation of the Geant4 electromagnetic photon cross-sections for elements and compounds. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 618, p. 315-322, ISSN: 0168-9002, doi: 10.1016/j.nima.2010.02.112

Cirrone GAP, Cuttone G, Maggiore M, Torrisi L, Tudisco F (2010). Diagnostic for the radiotherapy use of laser-accelerated proton beams. RADIATION EFFECTS AND DEFECTS IN SOLIDS, vol. 165, p. 767-773, ISSN: 1042-0150, doi: 10.1080/10420151003731942

Cirrone GAP, Cuttone G, Maggiore M, Torrisi L, Tudisco F (2010). Diagnostic for the radiotherapy use of laser-accelerated proton beams. RADIATION EFFECTS AND DEFECTS IN SOLIDS, vol. 165, p. 767-773, ISSN: 1042-0150, doi: 10.1080/10420151003731942

Civinini C., Brianzi M., Bruzzi M., Bucciolini M., Candiano G., Capineri L., Cirrone G. A. P., Cuttone G., Lo Presti D., Marrazzo L., Mazzaglia E., Menichelli D., Pieri S., Randazzo N., Sipala V., Stancampiano C., Talamonti C., Tesi M., Valentini S. (2010). Towards a proton imaging system. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 623, p. 588-590, ISSN: 0168-9002, doi: 10.1016/j.nima.2010.03.079

Koricanac LB, Zakula JJ, Petrovic IM, Valastro LM, Cirrone GAP, Cuttone G, Ristic-Fira AM (2010). Anti-Tumour Activity of Fotemustine and Protons in Combination with Bevacizumab. CHEMOTHERAPY, vol. 56, p. 214-222, ISSN: 0009-3157, doi: 10.1159/000316333

Koricanac LB, Zakula JJ, Petrovic IM, Valastro LM, Cirrone

GAP, Cuttone G, Ristic-Fira AM (2010). Anti-Tumour Activity of Fotemustine and Protons in Combination with Bevacizumab. CHEMOTHERAPY, vol. 56, p. 214-222, ISSN: 0009-3157, doi: 10.1159/000316333

Koricanac LB, Zakula JJ, Petrovic IM, Valastro LM, Cirrone GAP, Cuttone G, Ristic-Fira AM (2010). Anti-Tumour Activity of Fotemustine and Protons in Combination with Bevacizumab. CHEMOTHERAPY, vol. 56, p. 214-222, ISSN: 0009-3157, doi: 10.1159/000316333

Menichelli D, Bruzzi M, Bucciolini M, Candiano G, Cirrone GAP, Capineri L, Civinini C, Cuttone G, Lo Presti D, Marrazzo L, Pallotta S, Randazzo N, Sipala V, Talamonti C, Valentini S, Pieri S, Reggioli V, Brianzi M, Tesi M (2010). Characterization of a Silicon Strip Detector and a YAG:Ce Calorimeter for a Proton Computed Radiography Apparatus. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 57, p. 8-16, ISSN: 0018-9499, doi: 10.1109/TNS.2009.2031869

Menichelli David, Bruzzi Mara, Bucciolini Marta, Candiano Giuliana, Cirrone Giuseppe A. Pablo, Capineri Lorenzo, Civinini Carlo, Cuttone Giacomo, Lo Presti D, Marrazzo Livia, Pallotta Stefania, Randazzo Nunzio, Sipala Valeria, Talamonti Cinzia, Valentini Samuela, Pieri Stefano, Reggioli Valentina, Brianzi Mirko, Tesi Mauro (2010). Characterization of a Silicon Strip Detector and a YAG:Ce Calorimeter for a Proton Computed Radiography Apparatus. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 57, p. 8-16, ISSN: 0018-9499, doi: 10.1109/TNS.2009.2031869

Petrovic I, Ristic-Fira A, Todorovic D, Koricanac L, Valastro L, Cirrone P, Cuttone G (2010). Response of a radioresistant human melanoma cell line along the proton spread-out Bragg peak. INTERNATIONAL JOURNAL OF RADIATION BIOLOGY, vol. 86, p. 742-751, ISSN: 0955-3002, doi: 10.3109/09553002.2010.481322

Petrovic I, Ristic-Fira A, Todorovic D, Koricanac L, Valastro L, Cirrone P, Cuttone G (2010). Response of a radioresistant human melanoma cell line along the proton

spread-out Bragg peak. INTERNATIONAL JOURNAL OF RADIATION BIOLOGY, vol. 86, p. 742-751, ISSN: 0955-3002, doi: 10.3109/09553002.2010.481322

Petrovic I, Ristic-Fira A, Todorovic D, Koricanac L, Valastro L, Cirrone P, Cuttone G (2010). Response of a radioresistant human melanoma cell line along the proton spread-out Bragg peak. INTERNATIONAL JOURNAL OF RADIATION BIOLOGY, vol. 86, p. 742-751, ISSN: 0955-3002, doi: 10.3109/09553002.2010.481322

Sipala V., Bruzzi M., Bucciolini M., Candiano G., Capineri L., Cirrone G. A. P., Civinini C., Cuttone G., Lo Presti D, Marrazzo L., Mazzaglia E., Menichelli D., Randazzo N., Talamonti C., Valentini S. (2010). A proton imaging device: Design and status of realization. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 612, p. 566-570, ISSN: 0168-9002, doi: 10.1016/j.nima.2009.08.029

Storelli MM, Barone G, Cuttone G, Giungato D, Garofalo R (2010). Occurrence of toxic metals (Hg, Cd and Pb) in fresh and canned tuna: Public health implications. FOOD AND CHEMICAL TOXICOLOGY, vol. 48, p. 3167-3170, ISSN: 0278-6915, doi: 10.1016/j.fct.2010.08.013

Aleksandra M Ristic-Fira, Lela B Koricanac, Jelena J Žakula, Lucia M Valastro, Gioacchin Iannolo, Giuseppe Privitera, Giacomo Cuttone, Ivan M Petrovic (2009). EFFECTS OF FOTEMUSTINE OR DACARBASINE ON A MELANOMA CELL LINE PRETREATED WITH THERAPEUTIC PROTON IRRADIATION. JOURNAL OF EXPERIMENTAL & CLINICAL CANCER RESEARCH, vol. 28, p. 1186, ISSN: 1756-9966, doi: 10.1186/1756-9966-28-50

Baran I, Ganea C, Ursu I, Musumeci F, Scordino A, Tudisco S, Privitera S, Lanzano L, Katona E, Baran V, Cirrone GAP, Cuttone G, Raffaele L, Valastro LM (2009). EFFECTS OF NOCODAZOLE AND IONIZING RADIATION ON CELL PROLIFERATION AND DELAYED LUMINESCENCE. ROMANIAN JOURNAL OF PHYSICS, vol. 54, p. 557-567, ISSN: 1221-146X

Baran I., Ganea C., Ursu I., Musumeci F., Scordino A., Tudisco S, Privitera S., Lanzano L., Katona E., Baran V., Cirrone G. A. P., Cuttone G., Raffaele L., Valastro L. M., RI Baran Irina, Baran Virgil, Ganea Constanta, Ursu Ioan (2009). EFFECTS OF NOCODAZOLE AND IONIZING RADIATION ON CELL PROLIFERATION AND DELAYED LUMINESCENCE. ROMANIAN JOURNAL OF PHYSICS, vol. 54, p. 557-567, ISSN: 1221-146X

Bisogni MG, Cirrone GAP, Cuttone G, Del Guerra A, Lojacono P, Piliero MA, Romano F, Rosso V, Sipala V, Stefanini A (2009). Medipix2 as a tool for proton beam characterization RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 607, p. 48-50, ISSN: 0168-9002, doi: 10.1016/j.nima.2009.03.115

Bisogni MG, Cirrone GAP, Cuttone G, Del Guerra A, Lojacono P, Piliero MA, Romano F, Rosso V, Sipala V, Stefanini A (2009). Medipix2 as a tool for proton beam characterization RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 607, p. 48-50, ISSN: 0168-9002, doi: 10.1016/j.nima.2009.03.115

Bisogni MG, Cirrone GAP, Cuttone G, Del Guerra A, Lojacono P, Piliero MA, Romano F, Rosso V, Sipala V, Stefanini A (2009). Medipix2 as a tool for proton beam characterization. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 607, p. 48-50, ISSN: 0168-9002, doi: 10.1016/j.nima.2009.03.115

Re M, Celona L, Chines F, Cuttone G, Garufi D, Messina G, Rifuggiato D, Rizzo D (2009). Diffusion Process of (8)Li for Radioactive Beam Production. DIFFUSION AND DEFECT DATA, SOLID STATE DATA. PART A, DEFECT AND DIFFUSION FORUM, vol. 283-286, p. 200-208, ISSN: 1012-0386

Ristic-Fira AM, Koricanac LB, Zakula JJ, Valastro LM, Iannolo G, Privitera G, Cuttone G, Petrovic IM (2009).

Effects of fotemustine or dacarbazine on a melanoma cell line pretreated with therapeutic proton irradiation. JOURNAL OF EXPERIMENTAL & CLINICAL CANCER RESEARCH, vol. 28, ISSN: 1756-9966, doi: 10.1186/1756-9966-28-50

Sipala V, Bruzzi M, Bucciolini M, Candiano G, Capineri L, Cirrone GAP, Civinini C, Cuttone G, Lo Presti D, Marrazzo L, Menichelli D, Randazzo N, Talamonti C, Valentini S (2009). First Results and Realization Status of a Proton Computed Radiography Device. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 197, p. 39-42, ISSN: 0920-5632, doi: 10.1016/j.nuclphysbps.2009.10.030

Vecchio S, Attanasi F, Belcari N, Camarda M, Cirrone GAP, Cuttone G, Di Rosa F, Lanconelli N, Moehrs S, Rosso V, Russo G, Del Guerra A (2009). A PET Prototype for "In-Beam" Monitoring of Proton Therapy RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 56, p. 51-56, ISSN: 0018-9499, doi: 10.1109/TNS.2008.2008306

Vecchio S, Attanasi F, Belcari N, Camarda M, Cirrone GAP, Cuttone G, Di Rosa F, Lanconelli N, Moehrs S, Rosso V, Russo G, Del Guerra A (2009). A PET Prototype for "In-Beam" Monitoring of Proton Therapy. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 56, p. 51-56, ISSN: 0018-9499, doi: 10.1109/TNS.2008.2008306

Agodi C, Antoccia A, Attanasi F, Attili A, Battistoni G, Berardinelli F, Bourhaleb F, Cherubini R, Cirio R, Cirrone GAP, Cuttone G, D'Ambrosio C, Del Guerra A, De Nadal V, Gerardi S, Marchetto F, Monaco P, Morone C, Mostacci A, Muraro S, Patera V, Peroni C, Raciti G, Rosso V, Sacchi R, Sala P, Vecciiio S, Tanzarella C (2008). The INFN TPS project RID C-4085-2009. IL NUOVO CIMENTO DELLA SOCIETÀ ITALIANA DI FISICA. C, GEOPHYSICS AND SPACE PHYSICS, vol. 31, p. 99-108, ISSN: 1124-1896, doi: 10.1393/ncc/i2008-10284-6

Agodi C, Antoccia A, Attanasi F, Attili A, Battistoni G, Berardinelli F, Bourhaleb F, Cherubini R, Cirio R, Cirrone GAP, Cuttone G, D'Ambrosio C, Del Guerra A, De Nadal V, Gerardi S, Marchetto F, Monaco P, Morone C, Mostacci A, Muraro S, Patera V, Peroni C, Raciti G, Rosso V, Sacchi R, Sala P, Vecciiio S, Tanzarella C (2008). The INFN TPS

project RID C-4085-2009. IL NUOVO CIMENTO DELLA SOCIETÀ ITALIANA DI FISICA. C, GEOPHYSICS AND SPACE PHYSICS, vol. 31, p. 99-108, ISSN: 1124-1896, doi: 10.1393/ncc/i2008-10284-6

Attanasi F, Belcari N, Camarda M, Cirrone GAP, Cuttone G, Del Guerra A, Di Rosa F, Lanconelli N, Rosso V, Russo G, Veechio S (2008). Preliminary results of an in-beam PET prototype for proton therapy RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 591, p. 296-299, ISSN: 0168-9002, doi: 10.1016/j.nima.2008.03.076

Attanasi F, Belcari N, Camarda M, Cirrone GAP, Cuttone G, Del Guerra A, Di Rosa F, Lanconelli N, Rosso V, Russo G, Veechio S (2008). Preliminary results of an in-beam PET prototype for proton therapy RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 591, p. 296-299, ISSN: 0168-9002, doi: 10.1016/j.nima.2008.03.076

Attanasi F, Belcari N, Camarda M, Cirrone GAP, Cuttone G, Del Guerra A, Di Rosa F, Lanconelli N, Rosso V, Russo G, Veechio S (2008). Preliminary results of an in-beam PET prototype for proton therapy. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 591, p. 296-299, ISSN: 0168-9002, doi: 10.1016/j.nima.2008.03.076

Belli M, Bettega D, Calzolari P, Cherubini R, Cuttone G, Durante M, Esposito G, Furusawa Y, Gerardi S, Gialanella G, Grossi G, Manti L, Marchesini R, Publiese M, Scampoli P, Simone G, Sorrentino E, Tabocchini MA, Tallone L (2008). Effectiveness of Monoenergetic and Spread-Out Bragg Peak Carbon-Ions for Inactivation of Various Normal and Tumour Human Cell Lines RID C-4085-2009 RID A-4487-2012 RID F-3799-2010 RID A-4035-2010. JOURNAL OF RADIATION RESEARCH, vol. 49, p. 597-607, ISSN: 0449-3060, doi: 10.1269/jrr.08052

Belli M, Bettega D, Calzolari P, Cherubini R, Cuttone G, Durante M, Esposito G, Furusawa Y, Gerardi S, Gialanella G, Grossi G, Manti L, Marchesini R, Publiese M, Scampoli P, Simone G, Sorrentino E, Tabocchini MA, Tallone L (2008). Effectiveness of Monoenergetic and Spread-Out Bragg Peak Carbon-Ions for Inactivation of Various Normal and Tumour Human Cell Lines RID C-4085-2009 RID A-4487-2012 RID F-3799-2010 RID A-4035-2010. JOURNAL OF RADIATION RESEARCH, vol. 49, p. 597-607, ISSN: 0449-3060, doi: 10.1269/jrr.08052

Belli M, Bettega D, Calzolari P, Cherubini R, Cuttone G, Durante M, Esposito G, Furusawa Y, Gerardi S, Gialanella G, Grossi G, Manti L, Marchesini R, Publiese M, Scampoli P, Simone G, Sorrentino E, Tabocchini MA, Tallone L (2008). Effectiveness of Monoenergetic and Spread-Out Bragg Peak Carbon-Ions for Inactivation of Various Normal and Tumour Human Cell Lines. JOURNAL OF RADIATION RESEARCH, vol. 49, p. 597-607, ISSN: 0449-3060, doi: 10.1269/jrr.08052

C.TALAMONTI, M.BUCCIOLINI, L.MARRAZZO, D.MENICHELLI, M.BRUZZI, CUTTONE G (2008). "Dosimetric characterization with 62 MeV protons of a silicon segmented detector for a 2D dose verifications in radiotherapy". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 596, p. 126-130, ISSN: 0168-9002

C.TALAMONTI, M.BUCCIOLINI, L.MARRAZZO, D.MENICHELLI, M.BRUZZI, CUTTONE G (2008). "Dosimetric characterization with 62 MeV protons of a silicon segmented detector for a 2D dose verifications in radiotherapy". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 596, p. 126-130, ISSN: 0168-9002

Cuttone G, Calabretta L, Celona L, Chines F, Cosentino L, Finocchiaro P, Pappalardo A, Re M, Rifuggiato D, Rovelli A (2008). Status and perspectives of the EXCYT facility at INFN-LNS RID C-4085-2009 RID G-5625-2010. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS

AND ATOMS, vol. 266, p. 4108-4112, ISSN: 0168-583X,
doi: 10.1016/j.nimb.2008.05.130

Cuttone G, Calabretta L, Celona L, Chines F, Cosentino L, Finocchiario P, Pappalardo A, Re M, Rifuggiato D, Rovelli A (2008). Status and perspectives of the EXCYT facility at INFN-LNS RID C-4085-2009 RID G-5625-2010. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 266, p. 4108-4112, ISSN: 0168-583X, doi: 10.1016/j.nimb.2008.05.130

Cuttone G, Calabretta L, Celona L, Chines F, Cosentino L, Finocchiario P, Pappalardo A, Re M, Rifuggiato D, Rovelli A (2008). Status and perspectives of the EXCYT facility at INFN-LNS. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 266, p. 4108-4112, ISSN: 0168-583X, doi: 10.1016/j.nimb.2008.05.130

Czopyk L, Cirrone GAP, Cuttone G, Klosowski M, Olko P, Sroka U, Waligorski MPR (2008). 2-D dosimetry of a proton radiotherapy beam using large-area LiF : Mg,Cu,P TL detectors RID C-4085-2009. RADIATION MEASUREMENTS, vol. 43, p. 977-980, ISSN: 1350-4487, doi: 10.1016/j.radmeas.2007.11.072

Czopyk L, Cirrone GAP, Cuttone G, Klosowski M, Olko P, Sroka U, Waligorski MPR (2008). 2-D dosimetry of a proton radiotherapy beam using large-area LiF : Mg,Cu,P TL detectors RID C-4085-2009. RADIATION MEASUREMENTS, vol. 43, p. 977-980, ISSN: 1350-4487, doi: 10.1016/j.radmeas.2007.11.072

Koricanac LB, Petrovic IM, Pozega JJ, Valastro LM, Cirrone GAP, Cuttone G, Ristic-Fira AM (2008). Cell cycle distribution and induction apoptosis after joint treatment with fotemustine and protons RID C-4085-2009. THE FEBS JOURNAL, vol. 275, p. 409, ISSN: 1742-464X

Koricanac LB, Petrovic IM, Pozega JJ, Valastro LM, Cirrone GAP, Cuttone G, Ristic-Fira AM (2008). Cell cycle distribution and induction apoptosis after joint treatment with fotemustine and protons. THE FEBS JOURNAL, vol. 275, p. 409, ISSN: 1742-464X

Morone MC, Calabretta L, Cuttone G, Fiorini F (2008). Monte Carlo simulation to evaluate the contamination in an energy modulated carbon ion beam for hadron therapy delivered by cyclotron RID C-4085-2009. PHYSICS IN MEDICINE AND BIOLOGY, vol. 53, p. 6045-6053, ISSN: 0031-9155, doi: 10.1088/0031-9155/53/21/010

Morone MC, Calabretta L, Cuttone G, Fiorini F (2008). Monte Carlo simulation to evaluate the contamination in an energy modulated carbon ion beam for hadron therapy delivered by cyclotron RID C-4085-2009. PHYSICS IN MEDICINE AND BIOLOGY, vol. 53, p. 6045-6053, ISSN: 0031-9155, doi: 10.1088/0031-9155/53/21/010

Morone MC, Calabretta L, Cuttone G, Fiorini F (2008). Monte Carlo simulation to evaluate the contamination in an energy modulated carbon ion beam for hadron therapy delivered by cyclotron. PHYSICS IN MEDICINE AND BIOLOGY, vol. 53, p. 6045-6053, ISSN: 0031-9155, doi: 10.1088/0031-9155/53/21/010

Pappalardo G, Esposito A, Cirrone GA, CUTTONE, GIACOMO, Garraffo S, Pappalardo L, RIZZO, Francesca, Romano FP, Russo S. (2008). Effects of the behaviour of the proton-induced isotopes production on the analysis of ancient alloys. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 266, p. 2286-2291, ISSN: 0168-583X, doi: 10.1016/j.nimb.2008.03.074

Pappalardo G, Esposito A, Cirrone GA, Cuttone G, Garraffo S, Pappalardo L, Rizzo F, Romano FP, Russo S (2008). Effects of the behaviour of the proton-induced isotopes production on the analysis of ancient alloys RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 266, p. 2286-2291, ISSN: 0168-583X, doi: 10.1016/j.nimb.2008.03.074

Pappalardo G, Esposito A, Cirrone GA, Cuttone G, Garraffo S, Pappalardo L, Rizzo F, Romano FP, Russo S (2008). Effects of the behaviour of the proton-induced isotopes production on the analysis of ancient alloys. NUCLEAR

INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 266, p. 2286-2291, ISSN: 0168-583X, doi: 10.1016/j.nimb.2008.03.074

Pozega JJ, Ristic-Fira AM, Koricanac LB, Valastro LM, Cirrone GAP, Cuttone G, Petrovic IM (2008). Apoptotic ability of carbon ions on a resistant melanoma cell line RID C-4085-2009. THE FEBS JOURNAL, vol. 275, p. 425, ISSN: 1742-464X

Pozega JJ, Ristic-Fira AM, Koricanac LB, Valastro LM, Cirrone GAP, Cuttone G, Petrovic IM (2008). Apoptotic ability of carbon ions on a resistant melanoma cell line. THE FEBS JOURNAL, vol. 275, p. 425, ISSN: 1742-464X

Randazzo N, Sipala V, Alello S, Lo Presti D, Cirrone GAP, Cuttone G, Di Rosa F (2008). YAP(Ce) crystal characterization with proton beam up to 60 MeV RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 586, p. 295-299, ISSN: 0168-9002, doi: 10.1016/j.nima.2007.11.010

Randazzo N., Sipala V., Alello S., Lo Presti D, Cirrone G. A. P., Cuttone G., Di Rosa F. (2008). YAP(Ce) crystal characterization with proton beam up to 60 MeV. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 586, p. 295-299, ISSN: 0168-9002, doi: 10.1016/j.nima.2007.11.010

Ristic-Fira AM, Petrovic IM, Koricanac LB, Valastro LM, Privitera G, Cuttone G (2008). Assessment of the inhibitory effects of different radiation qualities or chemotherapeutic agents on a human melanoma cell line RID C-4085-2009. PHYSICA MEDICA, vol. 24, p. 187-195, ISSN: 1120-1797, doi: 10.1016/j.ejmp.2008.04.002

Ristic-Fira AM, Petrovic IM, Koricanac LB, Valastro LM, Privitera G, Cuttone G (2008). Assessment of the inhibitory effects of different radiation qualities or chemotherapeutic

agents on a human melanoma cell line. PHYSICA MEDICA, vol. 24, p. 187-195, ISSN: 1120-1797, doi: 10.1016/j.ejmp.2008.04.002

Talamonti C, Bucciolini M, Marrazzo L, Menichelli D, Bruzzi M, Cirrone GAP, Cuttone G, LoJacono P (2008). Dosimetric characterization with 62 MeV protons of a silicon-segmented detector for 2D dose verifications in radiotherapy RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 596, p. 126-130, ISSN: 0168-9002, doi: 10.1016/j.nima.2008.07.134

Talamonti C, Bucciolini M, Marrazzo L, Menichelli D, Bruzzi M, Cirrone GAP, Cuttone G, LoJacono P (2008). Dosimetric characterization with 62 MeV protons of a silicon-segmented detector for 2D dose verifications in radiotherapy RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 596, p. 126-130, ISSN: 0168-9002, doi: 10.1016/j.nima.2008.07.134

Talamonti C, Bucciolini M, Marrazzo L, Menichelli D, Bruzzi M, Cirrone GAP, Cuttone G, LoJacono P (2008). Dosimetric characterization with 62 MeV protons of a silicon-segmented detector for 2D dose verifications in radiotherapy. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 596, p. 126-130, ISSN: 0168-9002, doi: 10.1016/j.nima.2008.07.134

Todorovic D, Petrovic I, Todorovic M, Cuttone G, Ristic-Fira A (2008). Early effects of gamma rays and protons on human melanoma cell viability and morphology RID C-4085-2009. JOURNAL OF MICROSCOPY, vol. 232, p. 517-521, ISSN: 0022-2720, doi: 10.1111/j.1365-2818.2008.02151.x

Todorovic D, Petrovic I, Todorovic M, Cuttone G, Ristic-Fira A (2008). Early effects of gamma rays and

protons on human melanoma cell viability and morphology
RID C-4085-2009. JOURNAL OF MICROSCOPY, vol. 232,
p. 517-521, ISSN: 0022-2720, doi:
10.1111/j.1365-2818.2008.02151.x

Todorovic D, Petrovic I, Todorovic M, Cuttone G,
Ristic-Fira A (2008). Early effects of gamma rays and
protons on human melanoma cell viability and morphology.
JOURNAL OF MICROSCOPY, vol. 232, p. 517-521, ISSN:
0022-2720, doi: 10.1111/j.1365-2818.2008.02151.x

Bruzzi M, Blumenkrantz N, Feldt J, Heimann J, Sadrozinski
HFW, Seiden A, Williams DC, Bashkirov V, Schulte R,
Menichelli D, Scaringella M, Cirrone GAP, Cuttone G,
Randazzo N, Sipala V, Lo Presti D (2007). Prototype
tracking studies for proton CT RID A-4818-2008 RID
C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR
SCIENCE, vol. 54, p. 140-145, ISSN: 0018-9499, doi:
10.1109/TNS.2006.889642

Bruzzi, M, Blumenkrantz, N, Feldt, J, Heimann, J,
Sadrozinski, HFW, Seiden, A, Williams, DC, Bashkirov, V,
Schulte, R, Menichelli, D David, Scaringella, M, Cirrone,
GAP, Cuttone, G, Randazzo, N, Sipala, V, Lo Presti, D
(2007). Prototype Tracking Studies for Proton CT. IEEE
TRANSACTIONS ON NUCLEAR SCIENCE, vol. 54, p.
140-145, ISSN: 0018-9499, doi: 10.1109/TNS.2006.889642

CALCAGNO, Lucia, Ruggiero A, MUSUMECI, Paolo,
Cuttone G, La Via F, Foti G. (2007). Point defect
production efficiency in ion irradiated 4H-SiC. NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION B, BEAM INTERACTIONS WITH MATERIALS
AND ATOMS, vol. 257, p. 279-282, ISSN: 0168-583X, doi:
10.1016/j.nimb.2007.01.035

CUTTONE G, CIRRONE GAP, DI ROSA F, LOJACONO P. A,
MONGELLI E, LO NIGRO S, OTT J, PATTI V. I, PRIVITERA
G, RAFFAELE L, RALLO M L, REIBALDI A, RUSSO G,
SALAMONE V, SABINI MG, SPATOLA C, VALASTRO L
(2007). STEREOTACTIC TREATMENT BASED ON HIGH
ENERGY PROTON BEAM.. RIVISTA MEDICA, vol. 13, p.
17-21, ISSN: 1127-6339

CZOPYK L, KLOSOWSKI M, OLKO P, SWAKON J,
WALIGORSKI MP, KAJDROWICZ T, CUTTONE G,

CIRRONE GA, DI ROSA F (2007). "TWO-DIMENSIONAL DOSIMETRY OF RADIOTHERAPEUTICAL PROTON BEAM USING THERMOLUMINESCENCE FOILS". RADIATION PROTECTION DOSIMETRY, ISSN: 0144-8420

CZOPYK L, KLOSOWSKI M, OLKO P, SWAKON J, WALIGORSKI MP, KAJDROWICZ T, CUTTONE G, CIRRONE GA, DI ROSA F (2007). "TWO-DIMENSIONAL DOSIMETRY OF RADIOTHERAPEUTICAL PROTON BEAM USING THERMOLUMINESCENCE FOILS". RADIATION PROTECTION DOSIMETRY, ISSN: 0144-8420

Calcagno L, Ruggiero A, Musumeci P, Cuttone G, La Via F, Foti G (2007). Point defect production efficiency in ion irradiated 4H-SiC RID C-4085-2009 RID E-8035-2011. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 257, p. 279-282, ISSN: 0168-583X, doi: 10.1016/j.nimb.2007.01.035

Cirrone G. A. P., Candiano G., Cuttone G., Lo Nigro S., Lo Presti D, Randazzo N., Sipala V., Russo M., Aiello S., Bruzzi M., Menichelli D., Secringella M., Miglio S., Bucciolini M., Talamonti C., Pallotta S. (2007). The Italian project for a proton imaging device. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 576, p. 194-197, ISSN: 0168-9002, doi: 10.1016/j.nima.2007.01.151

Cirrone G. A. Pablo, Cuttone Giacomo, Candiano Giuliana, Di Rosa Francesco, Lo Nigro Salvatore, Lo Presti D, Randazzo Nunzio, Sipala Valeria, Bruzzi Mara, Menichelli David, Scaringella Monica, Bashkirov Vladimir, Williams R. David, Sadrozinski Hartmut F. -W., Heimann Jason, Feldt Jason, Blumenkrantz Nate, Talamonti C., Schulte Reinhard (2007). Monte Carlo studies of a proton computed tomography system. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 54, p. 1487-1491, ISSN: 0018-9499, doi: 10.1109/TNS.2007.906988

Cirrone GAP, Candiano G, Cuttone G, Lo Nigro S, Lo Presti D, Randazzo N, Sipala V, Russo M, Aiello S, Bruzzi M, Menichelli D, Secringella M, Miglio S, Bucciolini M,

Talamonti C, Pallotta S (2007). The Italian project for a proton imaging device RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 576, p. 194-197, ISSN: 0168-9002, doi: 10.1016/j.nima.2007.01.151

Cirrone GAP, Cuttone G, Candiano G, Di Rosa F, Lo Nigro S, Lo Presti D, Randazzo N, Sipala V, Bruzzi M, Menichelli D, Scaringella M, Bashkirov V, Williams RD, Sadrozinski HFW, Heimann J, Feldt J, Blumenkrantz N, Talamonti C, Schulte R (2007). Monte Carlo studies of a proton computed tomography system RID C-4085-2009 RID A-4818-2008. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 54, p. 1487-1491, ISSN: 0018-9499, doi: 10.1109/TNS.2007.906988

Cuttone G, Celona L, Chines F, Cosentino G, Messina E, Re M, Rizzo D, Scuderi V, Tudisco F, Amato A, Calabretta L, De Luca G, Pappalardo A, Passarello S, Rifuggiato D, Rovelli A (2007). EXCYT: The RIB project at INFN-LNS RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 261, p. 1040-1043, ISSN: 0168-583X, doi: 10.1016/j.nimb.2007.04.142

Cuttone G, Celona L, Chines F, Cosentino G, Messina E, Re M, Rizzo D, Scuderi V, Tudisco F, Amato A, Calabretta L, De Luca G, Pappalardo A, Passarello S, Rifuggiato D, Rovelli A (2007). EXCYT: The RIB project at INFN-LNS RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 261, p. 1040-1043, ISSN: 0168-583X, doi: 10.1016/j.nimb.2007.04.142

Czopyk L, Klosowski M, Olko P, Swakon J, Waligorski MPR, Kajdrowicz T, Cuttone G, Cirrone GAP, Di Rosa F (2007). Two-dimensional dosimetry of radiotherapeutical proton beams using thermoluminescence foils RID C-4085-2009. RADIATION PROTECTION DOSIMETRY, vol. 126, p. 185-189, ISSN: 0144-8420, doi: 10.1093/rpd/ncm039

Czopyk L, Klosowski M, Olko P, Swakon J, Waligorski MPR, Kajdrowicz T, Cuttone G, Cirrone GAP, Di Rosa F (2007). Two-dimensional dosimetry of radiotherapeutical proton beams using thermoluminescence foils RID C-4085-2009. RADIATION PROTECTION DOSIMETRY, vol. 126, p. 185-189, ISSN: 0144-8420, doi: 10.1093/rpd/ncm039

GIVEHCHI N, MARCHETTO F, VALASTRO L, CUTTONE G (2007). "Clinical use of strip ionization chamber detector as online proton beam monitor". MEDICAL PHYSICS, vol. 34, p. 2425-2426, ISSN: 0094-2405

Givehchi N, Marchetto F, Boriani A, Attili A, Bourhaleb F, Cirio R, Cirrone GAP, Cuttone G, Di Rosa F, Donetti M, Garella MA, Giordanengo S, Iliescu S, La Rosa A, Lojacono PA, Nicotra P, Peroni C, Pecka A, Pitta G, Raffaele L, Russo G, Sabini MG, Valastro LM (2007). Online monitor detector for the protontherapy beam at the INFN Laboratori Nazionali del Sud-Catania RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 572, p. 1094-1101, ISSN: 0168-9002, doi: 10.1016/j.nima.2006.12.047

Givehchi N, Marchetto F, Boriani A, Attili A, Bourhaleb F, Cirio R, Cirrone GAP, Cuttone G, Di Rosa F, Donetti M, Garella MA, Giordanengo S, Iliescu S, La Rosa A, Lojacono PA, Nicotra P, Peroni C, Pecka A, Pitta G, Raffaele L, Russo G, Sabini MG, Valastro LM (2007). Online monitor detector for the protontherapy beam at the INFN Laboratori Nazionali del Sud-Catania RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 572, p. 1094-1101, ISSN: 0168-9002, doi: 10.1016/j.nima.2006.12.047

Givehchi N, Marchetto F, Valastr L, Bourhaleb F, Attili A, Cirio R, Cirrone P, Cuttone G, Donetti M, Garella M, Giordanengo S, Iliescu S, La Rosa A, Pardo J, Pecka A, Peroni C, Raffaele L (2007). Clinical use of strip ionization

chamber detector as online proton beam monitor RID C-4085-2009. MEDICAL PHYSICS, vol. 34, p. 2425-2426, ISSN: 0094-2405, doi: 10.1118/1.2760764

Givehchi N, Marchetto F, Valastr L, Bourhaleb F, Attili A, Cirio R, Cirrone P, Cuttone G, Donetti M, Garella M, Giordanengo S, Iliescu S, La Rosa A, Pardo J, Pecka A, Peroni C, Raffaele L (2007). Clinical use of strip ionization chamber detector as online proton beam monitor RID C-4085-2009. MEDICAL PHYSICS, vol. 34, p. 2425-2426, ISSN: 0094-2405, doi: 10.1118/1.2760764

Gramegna F, Andrichetto A, Antonucci C, Barbui M, Biasetto L, Bisoffi G, Carturan S, Celona L, Cervellera F, Cevolani S, Chines F, Cinausero M, Colombo P, Comunian M, Cuttone G, Dainelli A, Bernardo P, Fagotti E, Giacchini M, Lollo M, Maggioni G, Manzolaro M, Meneghetti G, Messina GE, Palmieri A, Petrovich C, Pisent A, Piga L, Prete G, Re M, ... (2007). The SPES Direct Target Project at LNL RID C-4085-2009 RID A-9244-2012. ACTA PHYSICA POLONICA B, vol. 38, p. 1157-1167, ISSN: 0587-4254

Gramegna F, Andrichetto A, Antonucci C, Barbui M, Biasetto L, Bisoffi G, Carturan S, Celona L, Cervellera F, Cevolani S, Chines F, Cinausero M, Colombo P, Comunian M, Cuttone G, Dainelli A, Bernardo P, Fagotti E, Giacchini M, Lollo M, Maggioni G, Manzolaro M, Meneghetti G, Messina GE, Palmieri A, Petrovich C, Pisent A, Piga L, Prete G, Re M, ... (2007). The SPES Direct Target Project at LNL RID C-4085-2009 RID A-9244-2012. ACTA PHYSICA POLONICA B, vol. 38, p. 1157-1167, ISSN: 0587-4254

Koricanac L, Petrovic I, Privitera G, Cuttone G, Ristic-Fira A (2007). HTB140 melanoma cells under proton irradiation and/or alkylating agents. RUSSIAN JOURNAL OF PHYSICAL CHEMISTRY, vol. 81, p. 1467-1470, ISSN: 0036-0244, doi: 10.1134/S0036024407090233

L. KONICANAC, I. PETRONIC, PRIVITERA G, G. CUTTONE, A. RISTIC-FIRA (2007). HTB 140 MELANOMA CELLS UNDER PROTON IRRADIATION AND/OR

ALKYLATIN AGENTS. RUSSIAN JOURNAL OF PHYSICAL CHEMISTRY, vol. 81, p. 1467-1470, ISSN: 0036-0244, doi: 10.1134/S0036024407090233

PRIVITERA G, RAFFAELE L, SALAMONE V, SPATOLA C, VALASTRO L M, DI FRANCO G, CUTTONE G, CIRRONE G A P, RIFUGGIATO D, LO NIGRO S, ETTORRE C G (2007). REPORT ON FIRE YEARS OF CLINICAL ACTIVITY FOR THE TREATMENT OF OCULAR TUMORS AT ITALIAN CATANA FACILITY. In: (a cura di): PRIVITERA G RAFFAELE L SALAMONE V SPATOLA C VALASTRO L M DI FRANCO G CUTTONE G CIRRONE G A RIFUGGIATO D LO NIGRO S ETTORRE C G, PARTICLE THERAPY COOPERATIVE GROUP 46 CHINA. vol. P21, CHINA:PTCOG, 18-23 MAY 2007

Petrovic IM, Koricanac LB, Todorovic DV, Ristic-Fira AM, Valastro LM, Privitera G, Cuttone G (2007). Viability of a human melanoma cell after single and combined treatment with fotemustine, dacarbazine, and proton irradiation RID C-4085-2009. ANNALS OF THE NEW YORK ACADEMY OF SCIENCES, vol. 1095, p. 154-164, ISSN: 0077-8923, doi: 10.1196/annals.1397.019

Petrovic IM, Koricanac LB, Todorovic DV, Ristic-Fira AM, Valastro LM, Privitera G, Cuttone G (2007). Viability of a human melanoma cell after single and combined treatment with fotemustine, dacarbazine, and proton irradiation RID C-4085-2009. ANNALS OF THE NEW YORK ACADEMY OF SCIENCES, vol. 1095, p. 154-164, ISSN: 0077-8923, doi: 10.1196/annals.1397.019

Re M, Cuttone G, Celona L, Chines F, Messina E, Rizzo D, Tudisco F, Scuderi V (2007). Target ion source and charge exchange cell development for the EXCYT facility RID C-4085-2009. THE EUROPEAN PHYSICAL JOURNAL. SPECIAL TOPICS, vol. 150, p. 303-306, ISSN: 1951-6355, doi: 10.1140/epjst/e2007-00330-5

Re M, Cuttone G, Celona L, Chines F, Messina E, Rizzo D, Tudisco F, Scuderi V (2007). Target ion source and charge exchange cell development for the EXCYT facility RID C-4085-2009. THE EUROPEAN PHYSICAL JOURNAL. SPECIAL TOPICS, vol. 150, p. 303-306, ISSN: 1951-6355, doi: 10.1140/epjst/e2007-00330-5

Rifuggiato D, Cuttone G, Celona L, Chines F, Cosentino L, Messina E, Re M, Rizzo D, Scuderi V, Tudisco F, Amato A, Calabretta L, De Luca G, Marletta S, Pappalardo A, Passarello S, Rovelli A (2007). Commissioning of the EXCYT facility at INFN-LNS RID C-4085-2009. THE EUROPEAN PHYSICAL JOURNAL. SPECIAL TOPICS, vol. 150, p. 243-248, ISSN: 1951-6355, doi: 10.1140/epjst/e2007-00314-5

Rifuggiato D, Cuttone G, Celona L, Chines F, Cosentino L, Messina E, Re M, Rizzo D, Scuderi V, Tudisco F, Amato A, Calabretta L, De Luca G, Marletta S, Pappalardo A, Passarello S, Rovelli A (2007). Commissioning of the EXCYT facility at INFN-LNS RID C-4085-2009. THE EUROPEAN PHYSICAL JOURNAL. SPECIAL TOPICS, vol. 150, p. 243-248, ISSN: 1951-6355, doi: 10.1140/epjst/e2007-00314-5

Ristic-Fira AM, Todorovic DV, Koricanac LB, Petrovic IM, Valastro LM, Cirrone PGA, Raffaele L, Cuttone G (2007). Response of a human melanoma cell line to low and high ionizing radiation RID C-4085-2009. ANNALS OF THE NEW YORK ACADEMY OF SCIENCES, vol. 1095, p. 165-174, ISSN: 0077-8923, doi: 10.1196/annals.1397.020

Ristic-Fira AM, Todorovic DV, Koricanac LB, Petrovic IM, Valastro LM, Cirrone PGA, Raffaele L, Cuttone G (2007). Response of a human melanoma cell line to low and high ionizing radiation RID C-4085-2009. ANNALS OF THE NEW YORK ACADEMY OF SCIENCES, vol. 1095, p. 165-174, ISSN: 0077-8923, doi: 10.1196/annals.1397.020

Sauerwein W, Blondin A, Cuttone G, Chauvel P, Busse P (2007). Protons in radiation therapy RID C-4085-2009. STRAHLENTHERAPIE UND ONKOLOGIE, vol. 183, p. 153, ISSN: 0179-7158

A. BORIANO, F. BOURHALEB, R. CIRIO, GAP CIRRONE, CUTTONE G, M. DONETTI, E. GARELLI, S. GIORDANENGO, A. LUPARIA, F. MARCHETTO, C.PERONI, L. RAFFAELE, MG SABINI, L. VALASTRO (2006). "Preliminary Results with a strip ionisation chamber used as beam monitor for hadrontherapy applications". NUCLEAR PHYSICS. B, vol. 150, p. 326-329, ISSN: 0550-3213

A. BORIANO, F. BOURHALEB, R. CIRIO, GAP CIRRONE, CUTTONE G, M. DONETTI, E. GARELLI, S. GIORDANENGO, A. LUPARIA, F. MARCHETTO, C.PERONI, L. RAFFAELE, MG SABINI, L. VALASTRO (2006). "Preliminary Results with a strip ionisation chamber used as beam monitor for hadrontherapy applications". NUCLEAR PHYSICS. B, vol. 150, p. 326-329, ISSN: 0550-3213

Allison J, Amako K, Apostolakis J, Araujo H, Dubois PA, Asai M, Barrand G, Capra R, Chauvie S, Chytrcek R, Cirrone GAP, Cooperman G, Cosmo G, Cuttone G, Daquino GG, Donszelmann M, Dressel M, Folger G, Foppiano F, Generowicz J, Grichine V, Guatelli S, Gumplinger P, Heikkinen A, Hrivnacova I, Howard A, Incerti S, Ivanchenko V, Johnson T, Jones F, ... (2006). Geant4 developments and applications RID C-4085-2009 RID A-5689-2011 RID C-8369-2011. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 53, p. 270-278, ISSN: 0018-9499, doi: 10.1109/TNS.2006.869826

Allison J, Amako K, Apostolakis J, Araujo H, Dubois PA, Asai M, Barrand G, Capra R, Chauvie S, Chytrcek R, Cirrone GAP, Cooperman G, Cosmo G, Cuttone G, Daquino GG, Donszelmann M, Dressel M, Folger G, Foppiano F, Generowicz J, Grichine V, Guatelli S, Gumplinger P, Heikkinen A, Hrivnacova I, Howard A, Incerti S, Ivanchenko V, Johnson T, Jones F, ... (2006). Geant4 developments and applications RID C-4085-2009 RID A-5689-2011 RID C-8369-2011. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 53, p. 270-278, ISSN: 0018-9499, doi: 10.1109/TNS.2006.869826

Boriano A, Bourhaleb F, Cirio R, Cirrone GAP, Cuttone G, Donetti M, Garelli E, Giordanengo S, Luparia A, Marchetto F, Peroni C, Raffaele L, Sabini MG, Valastro L (2006). Preliminary results with a strip ionization chamber used as beam monitor for hadrontherapy treatments RID C-4085-2009. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 150, p. 326-329, ISSN: 0920-5632, doi: 10.1016/j.nuclphysbps.2004.11.392

Boriano A, Bourhaleb F, Cirio R, Cirrone GAP, Cuttone G, Donetti M, Garelli E, Giordanengo S, Luparia A, Marchetto F, Peroni C, Raffaele L, Sabini MG, Valastro L (2006).

Preliminary results with a strip ionization chamber used as beam monitor for hadrontherapy treatments RID C-4085-2009. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 150, p. 326-329, ISSN: 0920-5632, doi: 10.1016/j.nuclphysbps.2004.11.392

Calabretta L, Cuttone G, Maggiore M, Re M, Rifuggiato D (2006). A novel superconducting cyclotron for therapy and radioisotope production RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 562, p. 1009-1012, ISSN: 0168-9002, doi: 10.1016/j.nima.2006.02.083

Calabretta L, Cuttone G, Maggiore M, Re M, Rifuggiato D (2006). A novel superconducting cyclotron for therapy and radioisotope production RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 562, p. 1009-1012, ISSN: 0168-9002, doi: 10.1016/j.nima.2006.02.083

Cirrone GAP, Cuttone G, Di Rosa F, Raffaele L, Russo G, Guatelli S, Pia MG (2006). The GEANT4 toolkit capability in the hadron therapy field: simulation of a transport beam line RID C-4085-2009. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 150, p. 54-57, ISSN: 0920-5632, doi: 10.1016/j.nuclphysbps.2005.04.061

Cirrone GAP, Cuttone G, Di Rosa F, Raffaele L, Russo G, Guatelli S, Pia MG (2006). The GEANT4 toolkit capability in the hadron therapy field: simulation of a transport beam line RID C-4085-2009. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 150, p. 54-57, ISSN: 0920-5632, doi: 10.1016/j.nuclphysbps.2005.04.061

Cirrone GAP, Cuttone G, Lo Nigro S, Mongelli V, Raffaele L, Sabini MG (2006). Dosimetric characterization of CVD diamonds in photon, electron and proton beams RID C-4085-2009. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 150, p. 330-333, ISSN: 0920-5632, doi: 10.1016/j.nuclphysbps.2004.11.393

Cirrone GAP, Cuttone G, Lo Nigro S, Mongelli V, Raffaele

L, Sabini MG (2006). Dosimetric characterization of CVD diamonds in photon, electron and proton beams RID C-4085-2009. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 150, p. 330-333, ISSN: 0920-5632, doi: 10.1016/j.nuclphysbps.2004.11.393

Cirrone GAP, Cuttone G, Lojacono PA, Lo Nigro S, Patti LV, Pittera S, Raffaele L, Sabini MG, Salamone V, Valastro LM (2006). Preliminary investigation on the use of the MOSFET dosimeter in proton beams RID C-4085-2009. PHYSICA MEDICA, vol. 22, p. 29-32, ISSN: 1120-1797

Cirrone GAP, Cuttone G, Lojacono PA, Lo Nigro S, Patti LV, Pittera S, Raffaele L, Sabini MG, Salamone V, Valastro LM (2006). Preliminary investigation on the use of the MOSFET dosimeter in proton beams RID C-4085-2009. PHYSICA MEDICA, vol. 22, p. 29-32, ISSN: 1120-1797

Esposito G, Belli M, Campa A, Cherubini R, Cuttone G, Dini V, Furusawa Y, Gerardi S, Simone G, Sorrentino E, Tabocchini MA (2006). DNA fragments induction in human fibroblasts by radiations of different qualities RID C-4085-2009 RID A-3147-2009 RID A-4487-2012 RID F-3799-2010 RID A-4035-2010. RADIATION PROTECTION DOSIMETRY, vol. 122, p. 166-168, ISSN: 0144-8420, doi: 10.1093/rpd/nc1389

Esposito G, Belli M, Campa A, Cherubini R, Cuttone G, Dini V, Furusawa Y, Gerardi S, Simone G, Sorrentino E, Tabocchini MA (2006). DNA fragments induction in human fibroblasts by radiations of different qualities RID C-4085-2009 RID A-3147-2009 RID A-4487-2012 RID F-3799-2010 RID A-4035-2010. RADIATION PROTECTION DOSIMETRY, vol. 122, p. 166-168, ISSN: 0144-8420, doi: 10.1093/rpd/nc1389

Givehchi N, Attili A, Boriani A, Bourhaleb F, Cirio R, Cirrone GAP, Cuttone G, Donetti M, Garella MA, Giordanengo S, Iliescu S, La Rosa A, Marchetto F, Marino C, Pecka A, Peroni C, Pitta G, Raffaele L, Salamone V, Valastro L, Sabini MG (2006). Performances of a monitor system used in clinical routine for the treatment of uveal melanoma at catana RID C-4085-2009. RADIOTHERAPY AND ONCOLOGY, vol. 81, p. S360-S361, ISSN: 0167-8140

J. ALLISON, K. AMAKO, J. APOSTOLAKIS, M. ASAI,

CUTTONE G (2006). "Geant4 Developments and Applications". IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 53, ISSN: 0018-9499

J. ALLISON, K. AMAKO, J. APOSTOLAKIS, M. ASAI, CUTTONE G (2006). "Geant4 Developments and Applications". IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 53, ISSN: 0018-9499

Petrovic I, Ristic-Fira A, Todorovic D, Valastro L, Cirrone P, Cuttone G (2006). Radiobiological analysis of human melanoma cells on the 62 MeV CATANA proton beam RID C-4085-2009. INTERNATIONAL JOURNAL OF RADIATION BIOLOGY, vol. 82, p. 251-265, ISSN: 0955-3002, doi: 10.1080/09553000600669859

Petrovic I, Ristic-Fira A, Todorovic D, Valastro L, Cirrone P, Cuttone G (2006). Radiobiological analysis of human melanoma cells on the 62 MeV CATANA proton beam RID C-4085-2009. INTERNATIONAL JOURNAL OF RADIATION BIOLOGY, vol. 82, p. 251-265, ISSN: 0955-3002, doi: 10.1080/09553000600669859

Antonelli F, Belli M, Cuttone G, Dini V, Esposito G, Simone G, Sorrentino E, Tabocchini MA (2005). Induction and repair of DNA double-strand breaks in human cells: Dephosphorylation of histone H2AX and its inhibition by calyculin A RID A-4446-2009 RID C-4085-2009 RID A-3147-2009 RID F-3799-2010 RID A-4035-2010. RADIATION RESEARCH, vol. 164, p. 514-517, ISSN: 0033-7587, doi: 10.1667/RR3379.1

Antonelli F, Belli M, Cuttone G, Dini V, Esposito G, Simone G, Sorrentino E, Tabocchini MA (2005). Induction and repair of DNA double-strand breaks in human cells: Dephosphorylation of histone H2AX and its inhibition by calyculin A RID A-4446-2009 RID C-4085-2009 RID A-3147-2009 RID F-3799-2010 RID A-4035-2010. RADIATION RESEARCH, vol. 164, p. 514-517, ISSN: 0033-7587, doi: 10.1667/RR3379.1

Boriano A, Bourhaleb F, Cirio R, Cirrone GAP, Cuttone G, Donetti M, Garella MA, Giordanengo S, Givechi N, La Rosa A, Luparia A, Marchetto F, Peroni C, Pitta' G, Raffaele L, Sabini MG, Valastro L (2005). On-line monitoring of the CATANA protontherapy beam with the strip ionization

chamber MOPI RID C-4085-2009. RADIOTHERAPY AND ONCOLOGY, vol. 76, p. S63-S64, ISSN: 0167-8140

Bucciolini M, Borchini E, Bruzzi M, Casati M, Cirrone P, Cuttone G, De Angelis C, Lovik I, Onori S, Raffaele L, Sciortino S (2005). Diamond dosimetry: Outcomes of the CANDIDO and CONRAD INFN projects RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 552, p. 189-196, ISSN: 0168-9002, doi: 10.1016/j.nima.2005.06.030

Bucciolini M, Borchini E, Bruzzi M, Casati M, Cirrone P, Cuttone G, De Angelis C, Lovik I, Onori S, Raffaele L, Sciortino S (2005). Diamond dosimetry: Outcomes of the CANDIDO and CONRAD INFN projects RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 552, p. 189-196, ISSN: 0168-9002, doi: 10.1016/j.nima.2005.06.030

CIRRONE GAP, CUTTONE G, MONGELLI V, RASFFAELE L, SABINI MG, M BUCCIOLINI, ONORI S (2005). "Dosimetric Characterization of CVD diamonds irradiated with 62 MeV Proton Beam". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 552, p. 197-202, ISSN: 0168-9002

CIRRONE GAP, CUTTONE G, MONGELLI V, RASFFAELE L, SABINI MG, M BUCCIOLINI, ONORI S (2005). "Dosimetric Characterization of CVD diamonds irradiated with 62 MeV Proton Beam". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 552, p. 197-202, ISSN: 0168-9002

Cirrone GAP, CUTTONE, GIACOMO, Guatelli S, Lo Nigro S, Mascialino B, Pia MG, Raffaele L, Russo G, Sabini MG (2005). Implementation of a new Monte Carlo - GEANT4 simulation tool for the development of a proton therapy

beam line and verification of the related dose distributions
RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR
SCIENCE, vol. 52, p. 262-265, ISSN: 0018-9499, doi:
10.1109/TNS.2004.843140

Cirrone GAP, Cuttone G, Guatelli S, Lo Nigro S, Mascialino
B, Pia MG, Raffaele L, Russo G, Sabini MG (2005).

Implementation of a new Monte Carlo - GEANT4
simulation tool for the development of a proton therapy
beam line and verification of the related dose distributions
RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR
SCIENCE, vol. 52, p. 262-265, ISSN: 0018-9499, doi:
10.1109/TNS.2004.843140

Cirrone GAP, Cuttone G, Lo Nigro S, Mongelli V, Raffaele
L, Sabini MG, Valastro L, Bucciolini M, Onori S (2005).

Dosimetric characterization of CVD diamonds irradiated
with 62 MeV proton beams RID C-4085-2009. NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION A, ACCELERATORS, SPECTROMETERS,
DETECTORS AND ASSOCIATED EQUIPMENT, vol. 552, p.
197-202, ISSN: 0168-9002, doi:
10.1016/j.nima.2005.06.031

Cirrone GAP, Cuttone G, Lo Nigro S, Mongelli V, Raffaele
L, Sabini MG, Valastro L, Bucciolini M, Onori S (2005).

Dosimetric characterization of CVD diamonds irradiated
with 62 MeV proton beams RID C-4085-2009. NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION A, ACCELERATORS, SPECTROMETERS,
DETECTORS AND ASSOCIATED EQUIPMENT, vol. 552, p.
197-202, ISSN: 0168-9002, doi:
10.1016/j.nima.2005.06.031

Isambert A, Lefkopoulos D, Cuttone G, Bucciolini M, Haas
CS, Kafrouni H, Waligorski M, Zoetelief H, Blondin A
(2005). The MAESTRO project framework : goals and
status RID C-4085-2009. RADIOTHERAPY AND
ONCOLOGY, vol. 76, p. S34, ISSN: 0167-8140, doi:
10.1016/S0167-8140(05)81029-1

Isambert A, Lefkopoulos D, Cuttone G, Bucciolini M, Haas
CS, Kafrouni H, Waligorski M, Zoetelief H, Blondin A
(2005). The MAESTRO project framework : goals and
status RID C-4085-2009. RADIOTHERAPY AND

ONCOLOGY, vol. 76, p. S34, ISSN: 0167-8140, doi:
10.1016/S0167-8140(05)81029-1

Benati C, Boriani A, Bourhaleb F, Cirio R, Cirrone GAP, Cornelius I, Cuttone G, Donetti M, Garelli E, Giordanengo S, Guerin L, La Rosa A, Luparia A, Marchetto F, Martin F, Meyroneinc S, Peroni C, Pitta G, Raffaele L, Sabini MG, Valastro L (2004). Online measurement of fluence and position for protontherapy beams RID C-4085-2009. IL NUOVO CIMENTO DELLA SOCIETÀ ITALIANA DI FISICA. C, GEOPHYSICS AND SPACE PHYSICS, vol. 27, p. 529-536, ISSN: 1124-1896, doi:
10.1393/ncc/i2005-10008-6

Benati C, Boriani A, Bourhaleb F, Cirio R, Cirrone GAP, Cornelius I, Cuttone G, Donetti M, Garelli E, Giordanengo S, Guerin L, La Rosa A, Luparia A, Marchetto F, Martin F, Meyroneinc S, Peroni C, Pitta G, Raffaele L, Sabini MG, Valastro L (2004). Online measurement of fluence and position for protontherapy beams RID C-4085-2009. IL NUOVO CIMENTO DELLA SOCIETÀ ITALIANA DI FISICA. C, GEOPHYSICS AND SPACE PHYSICS, vol. 27, p. 529-536, ISSN: 1124-1896, doi:
10.1393/ncc/i2005-10008-6

CUTTONE, GIACOMO, Lojacono PA, Lo Nigro S, Mongelli V, Patti IV, PRIVITERA, Giuseppe, Raffaele L, Rifuggiato D, Sabini MG, Salamone V, Spatola C, Valastro LM (2004). A 62-MeV proton beam for the treatment of ocular melanoma at Laboratori Nazionali del Sud-INFN RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 51, p. 860-865, ISSN: 0018-9499, doi:
10.1109/TNS.2004.829535

Cirrone GAP, Coco S, Cuttone G, De Martinis C, Giove D, Lojacono PA, Mauri M, Messina R (2004). A fast monitoring system for radiotherapeutic proton beams based on scintillating screens and a CCD camera RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 51, p. 1402-1406, ISSN: 0018-9499, doi:
10.1109/TNS.2004.832289

Cirrone GAP, Coco S, Cuttone G, De Martinis C, Giove D, Lojacono PA, Mauri M, Messina R (2004). A fast monitoring system for radiotherapeutic proton beams

based on scintillating screens and a CCD camera RID
C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR
SCIENCE, vol. 51, p. 1402-1406, ISSN: 0018-9499, doi:
10.1109/TNS.2004.832289

Cirrone GAP, Cuttone G, Lojacono PA, Lo Nigro S,
Mongelli V, Patti IV, Privitera G, Raffaele L, Rifuggiato D,
Sabini MG, Salamone V, Spatola C, Valastro LM (2004). A
62-MeV proton beam for the treatment of ocular
melanoma at Laboratori Nazionali del Sud-INFN RID
C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR
SCIENCE, vol. 51, p. 860-865, ISSN: 0018-9499, doi:
10.1109/TNS.2004.829535

Cirrone, G. A. P., Cuttone, G., LOJACONO, PIETRO
AUGUSTO, Lo Nigro, S., MONGELLI, VITA, Patti, I. V.,
Privitera, G., Raffaele, L., Rifuggiato, D., Sabini, M. G.,
Salamone, V., Spatola, C., Valastro, L. M. (2004). A
62-MeV proton beam for the treatment of ocular
melanoma at laboratori nazionali del sud-INFN. IEEE
TRANSACTIONS ON NUCLEAR SCIENCE, vol. 51, p.
860-865, ISSN: 0018-9499, doi: 10.1109/TNS.2004.829535

Cirrone, G. A. P., Cuttone, G., Lojacono, P. A., Lo Nigro, S.,
Mongelli, V., Patti, I. V., Privitera, G., Raffaele, L.,
Rifuggiato, D., Sabini, M. G., Salamone, V., Spatola, C.,
Valastro, L. M. (2004). A 62-MeV proton beam for the
treatment of ocular melanoma at laboratori nazionali del
sud-INFN. IEEE TRANSACTIONS ON NUCLEAR
SCIENCE, vol. 51, p. 860-865, ISSN: 0018-9499, doi:
10.1109/TNS.2004.829535

De Nardo L, Moro D, Colautti P, Conte V, Tornielli G,
Cuttone G (2004). Microdosimetric investigation at the
therapeutic proton beam facility of CATANA RID
C-4085-2009. RADIATION PROTECTION DOSIMETRY, vol.
110, p. 681-686, ISSN: 0144-8420, doi:
10.1093/rpd/nch111

De Nardo L, Moro D, Colautti P, Conte V, Tornielli G,
Cuttone G (2004). Microdosimetric investigation at the
therapeutic proton beam facility of CATANA RID
C-4085-2009. RADIATION PROTECTION DOSIMETRY, vol.
110, p. 681-686, ISSN: 0144-8420, doi:
10.1093/rpd/nch111

Fusi F, Mercatelli L, Marconi G, Cuttone G, Romano G (2004). Optical characterization of a radiochromic film by total reflectance and transmittance measurements RID C-4085-2009. MEDICAL PHYSICS, vol. 31, p. 2147-2154, ISSN: 0094-2405, doi: 10.1118/1.1764701

Fusi F, Mercatelli L, Marconi G, Cuttone G, Romano G (2004). Optical characterization of a radiochromic film by total reflectance and transmittance measurements RID C-4085-2009. MEDICAL PHYSICS, vol. 31, p. 2147-2154, ISSN: 0094-2405, doi: 10.1118/1.1764701

G.A.P.CIRRONE, CUTTONE G, L. RAFFAELE, M.G.SABINI, M.G. PIA, S. GUATELLI (2004). "Implementation of a new Monte Carlo Simulation tool for the development of a protontherapy beam line and verification of the related dose distributions". IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 51, ISSN: 0018-9499

Ristic-Fira A, Petrovic I, Todorovic D, Koricanac L, Vujeic M, Demajo M, Sabini G, Cirrone P, Cuttone G (2004). Inactivation of HTB63 human melanoma cells by irradiation with protons and gamma rays RID C-4085-2009. ONCOLOGY REPORTS, vol. 12, p. 1323-1328, ISSN: 1021-335X

Cirrone GAP, Cuttone G, Pia MG, Guatelli S, Lo Nigro S, Sabini MG, Lo Nigro S (2003). Implementation of a GEANT4 Monte Carlo code for the development of a proton therapy beam line and verification of proton beams dose distributions RID C-4085-2009. RADIOTHERAPY AND ONCOLOGY, vol. 68, p. S106, ISSN: 0167-8140

Cirrone GAP, Cuttone G, Raffaele L, Sabini MG, De Angelis C, Onori S, Pacilio M, Bucciolini M, Bruzzi M, Sciortino S (2003). Natural and CVD type diamond detectors as dosimeters in hadrontherapy applications RID C-4085-2009. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 125, p. 179-183, ISSN: 0920-5632, doi: 10.1016/S0920-5632(03)02242-4

G.A.P.CIRRONE, CUTTONE G, L.RAFFAELE, M.G.SABINI, C.DE ANGELIS, S.ONORI, M.PACILIO, M.BUCCIOLINI, M. BRUZZI, S.SCIORTINO (2003). "Natural and CVD type diamond detectors as dosimeters in hadrontherapy

application.". NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 125, p. 179-183, ISSN: 0920-5632

Rifuggiato D, Calabretta L, Cuttone G (2003). Status report of the LNS superconducting cyclotron RID C-4085-2009. NUKLEONIKA, vol. 48, p. S131-S134, ISSN: 0029-5922

SPATOLA, CORRADO, PRIVITERA, Giuseppe, RAFFAELE L, SALAMONE V, CUTTONE, GIACOMO, CIRRONE P, SABINI, MG, LO NIGRO S. (2003). Clinical application of proton beams in the treatment of uveal melanoma: the first therapies carried out in Italy and preliminary results (CATANA Project). TUMORI, vol. 89, p. 502-509, ISSN: 0300-8916

SPATOLA, G. PRIVITERA, L.RAFFAELE, V. SALAMONE, CUTTONE G, GAP. CIRRONE. M.G. SABINI (2003). "Clinical applications of proton beams in the treatment of uveal melanoma: The first therapies carried out in ITALY and Preliminary Results (Catana project)",. TUMORI, vol. 89, p. 502-509, ISSN: 0300-8916

Spatola C, Privitera G, Raffaele L, Salamone V, Cuttone G, Cirrone P, Sabini MG, Lo Nigro S (2003). Clinical application of proton beams in the treatment of uveal melanoma: The first therapies carried out in Italy and preliminary results (Catana project) RID C-4085-2009. TUMORI, vol. 89, p. 502-509, ISSN: 0300-8916

Ciavola G, Alba R, Calabretta L, Celona L, Cosentino G, Cuttone G, Finocchiaro P, Gammino S, Menna M, Papaleo R, Raia G, Rifuggiato D, Rovelli A, Silvestri M, Vinciguerra D, Winkler M (2002). Status of the EXCYT facility at INFN-LNS RID C-4085-2009 RID G-5625-2010. NUCLEAR PHYSICS. A, vol. 701, p. 54C-57C, ISSN: 0375-9474

De Angelis C, Onori S, Pacilio M, Cirrone GAP, Cuttone G, Raffaele L, Bucciolini M, Mazzocchi S (2002). An investigation of the operating characteristics of two PTW diamond detectors in photon and electron beams RID C-4085-2009. MEDICAL PHYSICS, vol. 29, p. 248-254, ISSN: 0094-2405, doi: 10.1118/1.1446101

De Angelis C, Onori S, Pacilio M, Cirrone GAP, Cuttone G, Raffaele L, Sabini MG (2002). Preliminary results on a

dedicated silicon diode detector for proton dosimetry RID C-4085-2009. RADIATION PROTECTION DOSIMETRY, vol. 101, p. 461-464, ISSN: 0144-8420

Mazzocchi S, Bruzzi M, Bucciolini M, Cuttone G, Pini S, Sabini MG, Sciortino S (2002). Thermoluminescence characterisation of chemical vapour deposited diamond films RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 476, p. 713-716, ISSN: 0168-9002, doi: 10.1016/S0168-9002(01)01657-6

Mazzocchi S, Bruzzi M, Bucciolini M, Cuttone G, Pini S, Sabini MG, Sciortino S (2002). Thermoluminescence characterisation of chemical vapour deposited diamond films RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 476, p. 713-716, ISSN: 0168-9002, doi: 10.1016/S0168-9002(01)01657-6

Sabini MG, Bucciolini M, Cuttone G, Guasti A, Mazzocchi S, Raffaele L (2002). TLD-100 glow-curve deconvolution for the evaluation of the thermal stress and radiation damage effects RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 476, p. 779-784, ISSN: 0168-9002, doi: 10.1016/S0168-9002(01)01675-8

Brai M, Bartolotta A, Basile S, Bruno G, Cuttone G, Kacpersek A, Teri G (2001). Glow curve deconvolution of response of LiF dosimeters to proton clinical beams: energy dependence RID C-4085-2009. PHYSICA MEDICA, vol. 17, p. 51-55, ISSN: 1120-1797

CUTTONE G, AMATO A, BARTOLOTTA A, ET AL (2001). "Use of 62 MeV proton beam for medical applications at INFN-LNS: CATANA project". PHYSICA MEDICA, vol. 17, p. 23-25, ISSN: 1120-1797

Cuttone G, Amato A, Bartolotta A, Brai M, Cirrone GAP, Giammo A, Lo Nigro S, Nicoletti GA, Ott J, Privitera G, Raffaele L, Rallo ML, Rapicavoli C, Reibaldi A, Rifuggiato

D, Romeo N, Rovelli A, Sabini MG, Salamone V, Teri G, Tudisco F (2001). Use of 62 MeV proton beam for medical applications at INFN-LNS: CATANA project RID C-4085-2009. PHYSICA MEDICA, vol. 17, p. 23-25, ISSN: 1120-1797

Cuttone G, Amato A, Bartolotta A, Brai M, Cirrone GAP, Giammo A, Lo Nigro S, Nicoletti GA, Ott J, Privitera G, Raffaele L, Rallo ML, Rapicavoli C, Reibaldi A, Rifuggiato D, Romeo N, Rovelli A, Sabini MG, Salamone V, Teri G, Tudisco F (2001). Use of 62 MeV proton beam for medical applications at INFN-LNS: CATANA project RID C-4085-2009. PHYSICA MEDICA, vol. 17, p. 23-25, ISSN: 1120-1797

Cuttone G, Cirio R, Agnello G (2001). Proceedings of the International Conference on Ocular Pathologies Therapy with Proton Beams - Catania (Italy), October 12-13, 2000 - Forword RID C-4085-2009. PHYSICA MEDICA, vol. 17, p. III, ISSN: 1120-1797

De Angelis C, Onori S, Pacilio M, Petetti E, Azario L, Fidanzio A, Miceli R, Piermattei A, Cuttone G, Raffaele L, Kacpersek A (2001). Preliminary results in solid state dosimetry of proton beams for ocular pathology treatment RID C-4085-2009. PHYSICA MEDICA, vol. 17, p. 41-44, ISSN: 1120-1797

Mazzocchi S, Bruzzi M, Bucciolini M, Cuttone G, Guasti A, Pini S, Pirollo S, Sabini MG, Sciortino S (2001). Thermoluminescent CVD diamond films for dosimetric applications RID C-4085-2009. PHYSICA MEDICA, vol. 17, p. 45-48, ISSN: 1120-1797

Raffaele L, Cirrone GAP, Cuttone G, Lo Nigro S, Sabini MG, Salamone V, Egger E, Kacpersek A, Romeo N (2001). Proton beam dosimetry for the CATANA Project RID C-4085-2009. PHYSICA MEDICA, vol. 17, p. 35-40, ISSN: 1120-1797

Ristic-Fira A, Todorovic D, Petrovic I, Ruzvdić S, Raffaele L, Sabini MG, Cirrone GAP, Cuttone G, Farruggia G, Masotti L, Kanazir DT (2001). Inhibition of human melanoma cell growth by proton irradiation RID C-4085-2009. PHYSICA MEDICA, vol. 17, p. 71-75, ISSN: 1120-1797

Bruzzi M, Bucciolini M, Cirrone GAP, Cuttone G, Guasti A, Mazzocchi S, Pirollo S, Sabini MG, Sciortino S (2000). Characterization of CVD diamond films as radiation detectors for dosimetric applications RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 47, p. 1430-1433, ISSN: 0018-9499, doi: 10.1109/23.872991

Bruzzi M, Bucciolini M, Cirrone GAP, Cuttone G, Guasti A, Mazzocchi S, Pirollo S, Sabini MG, Sciortino S (2000). Characterization of CVD diamond films as radiation detectors for dosimetric applications RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 47, p. 1430-1433, ISSN: 0018-9499, doi: 10.1109/23.872991

Bruzzi M, Bucciolini M, Cirrone GAP, Cuttone G, Mazzocchi S, Pirollo S, Sciortino S (2000). Characterisation of CVD diamond dosimeters in on-line configuration RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 454, p. 142-146, ISSN: 0168-9002, doi: 10.1016/S0168-9002(00)00816-0

Bruzzi M, Bucciolini M, Cirrone GAP, Cuttone G, Mazzocchi S, Pirollo S, Sciortino S (2000). Characterisation of CVD diamond dosimeters in on-line configuration RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 454, p. 142-146, ISSN: 0168-9002, doi: 10.1016/S0168-9002(00)00816-0

Bucciolini M, Cuttone G, Guasti A, Lo Nigro S, Mazzocchi S, Raffaele L, Sabini MG, Kacperek A, Egger E (2000). Check on the use of thermoluminescence detectors for proton dose distribution measurements RID C-4085-2009. PHYSICA MEDICA, vol. 16, p. 117-120, ISSN: 1120-1797

Bucciolini M, Cuttone G, Guasti A, Lo Nigro S, Mazzocchi S, Raffaele L, Sabini MG, Kacperek A, Egger E (2000). Check on the use of thermoluminescence detectors for proton dose distribution measurements RID C-4085-2009. PHYSICA MEDICA, vol. 16, p. 117-120, ISSN: 1120-1797

Gerbaldo R, Ghigo G, Gozzelino L, Mezzetti E, Minetti B, Martini L, Cuttone G (2000). Control of the flux regime in BSCCO tapes by means of surface columnar defects. RID C-4085-2009. PHYSICA. C, SUPERCONDUCTIVITY, vol. 341, p. 1263-1264, ISSN: 0921-4534, doi: 10.1016/S0921-4534(00)01166-7

Joksic G, Pajovic SB, Stankovic M, Pejic S, Kasapovic J, Cuttone G, Calonghi N, Masotti L, Kanazir DT (2000). Chromosome aberrations, micronuclei, and activity of superoxide dismutases in human lymphocytes after irradiation in vitro RID C-4085-2009. CELLULAR AND MOLECULAR LIFE SCIENCES, vol. 57, p. 842-850, ISSN: 1420-682X, doi: 10.1007/s000180050046

Joksic G, Pajovic SB, Stankovic M, Pejic S, Kasapovic J, Cuttone G, Calonghi N, Masotti L, Kanazir DT (2000). Chromosome aberrations, micronuclei, and activity of superoxide dismutases in human lymphocytes after irradiation in vitro RID C-4085-2009. CELLULAR AND MOLECULAR LIFE SCIENCES, vol. 57, p. 842-850, ISSN: 1420-682X, doi: 10.1007/s000180050046

Onori S, De Angelis C, Fattibene P, Pacilio M, Petetti E, Azario L, Miceli R, Piermattei A, Tonghi LB, Cuttone G, Lo Nigro S (2000). Dosimetric characterization of silicon and diamond detectors in low-energy proton beams RID C-4085-2009. PHYSICS IN MEDICINE AND BIOLOGY, vol. 45, p. 3045-3058, ISSN: 0031-9155, doi: 10.1088/0031-9155/45/10/320

A. BARTOLOTTA, L. BARONE TONGHI, M. BRAI, CUTTONE G, P. FATTIBENE, S. ONORI, L. RAFFAELE, A. ROVELLI, M. G. SABINI, G. TERI (1999). "Response characteristics of thermoluminescence and alanine-based dosimeters to 16 and 25 MeV proton beams". RADIATION PROTECTION DOSIMETRY, vol. 85, p. 353-356, ISSN: 0144-8420

Bartolotta A, Tonghi LB, Brai M, Cuttone G, Fattibene P, Onori S, Raffaele L, Rovelli A, Sabini MG, Teri G (1999). Response characteristics of thermoluminescence and alanine-based dosimeters to 16 and 25 MeV proton beams RID C-4085-2009. RADIATION PROTECTION DOSIMETRY, vol. 85, p. 353-356, ISSN: 0144-8420

Bucciolini M, Cuttone G, Egger E, Guasti A, Mazzocchi S, Raffaele L, Sabini MG (1999). A comparison of the TLD-100 response to Co-60 beam and 62 MeV protons RID C-4085-2009. PHYSICA MEDICA, vol. 15, p. 71-77, ISSN: 1120-1797

Bucciolini M, Cuttone G, Egger E, Guasti A, Mazzocchi S, Raffaele L, Sabini MG (1999). A comparison of the TLD-100 response to Co-60 beam and 62 MeV protons RID C-4085-2009. PHYSICA MEDICA, vol. 15, p. 71-77, ISSN: 1120-1797

Crescio E, Gerbaldo R, Ghigo G, Gozzelino L, Camerlingo C, Monaco A, Nappi C, Cuttone G, Rovelli A (1999). Interplay between as grown defects and heavy ion induced defects in YBCO films RID C-4085-2009. INTERNATIONAL JOURNAL OF MODERN PHYSICS B, vol. 13, p. 1177-1182, ISSN: 0217-9792, doi: 10.1142/S0217979299001144

Crescio E, Gerbaldo R, Ghigo G, Gozzelino L, Mezzetti E, Minetti B, Martini L, Ottoboni V, Caracino P, Gherardi L, Cuttone G, Rovelli A, Cherubini R (1999). Experimental investigations on the critical vortex dynamics with controlled disorder RID C-4085-2009. INTERNATIONAL JOURNAL OF MODERN PHYSICS B, vol. 13, p. 1137-1142, ISSN: 0217-9792, doi: 10.1142/S0217979299001089

Cuttone G, Azario L, Tonghi LB, Borchì E, Boscarino D, Bruzzi M, Bucciolini M, Cirrone GAP, De Angelis C, Della Mea G, Fattibene P, Gori C, Guasti A, Maggioni S, Mazzocchi S, Onori S, Pacilio M, Petetti E, Piermattei A, Pirollo S, Quaranta A, Raffaele L, Rigato V, Rovelli A, Sabini MG, Sciortino S, Zatelli G (1999). The CANDIDO project: development of a CVD diamond dosimeter for applications in radiotherapy RID C-4085-2009. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 78, p. 587-591, ISSN: 0920-5632, doi: 10.1016/S0920-5632(99)00609-X

Cuttone G, Azario L, Tonghi LB, Borchì E, Boscarino D, Bruzzi M, Bucciolini M, Cirrone GAP, De Angelis C, Della Mea G, Fattibene P, Gori C, Guasti A, Maggioni S, Mazzocchi S, Onori S, Pacilio M, Petetti E, Piermattei A, Pirollo S, Quaranta A, Raffaele L, Rigato V, Rovelli A, Sabini MG, Sciortino S, Zatelli G (1999). The CANDIDO

project: development of a CVD diamond dosimeter for applications in radiotherapy RID C-4085-2009. NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS, vol. 78, p. 587-591, ISSN: 0920-5632, doi: 10.1016/S0920-5632(99)00609-X

Cuttone G, Raffaele L, Tonghi L, Rovelli A, Sabini MG, Egger E, Kacperek A, Brai M, Bartolotta A, Teri G, Onori S, Fattibene P (1999). First dosimetry intercomparison results for the CATANA project RID C-4085-2009. PHYSICA MEDICA, vol. 15, p. 121-130, ISSN: 1120-1797

Ghigo G, Chiodoni A, Gerbaldo R, Gozzelino L, Mezzetti E, Minetti B, Camerlingo C, Cuttone G, Rovelli A (1999). High current carrying networks of Josephson junctions in YBCO films RID C-4085-2009. SUPERCONDUCTOR SCIENCE & TECHNOLOGY, vol. 12, p. 1059-1062, ISSN: 0953-2048, doi: 10.1088/0953-2048/12/12/305

Ghigo G, Chiodoni A, Gerbaldo R, Gozzelino L, Mezzetti E, Minetti B, Camerlingo C, Cuttone G, Rovelli A (1999). High current carrying networks of Josephson junctions in YBCO films RID C-4085-2009. SUPERCONDUCTOR SCIENCE & TECHNOLOGY, vol. 12, p. 1059-1062, ISSN: 0953-2048, doi: 10.1088/0953-2048/12/12/305

Gozzelino L, Gerbaldo R, Ghigo G, Mezzetti E, Minetti B, Carlino E, Krabbes G, Schaetzle P, Cuttone G, Rovelli A (1999). Defects and self-organized vortices in melt-textured YBa₂Cu₃O_{7-x} RID C-4085-2009. SUPERCONDUCTOR SCIENCE & TECHNOLOGY, vol. 12, p. 1075-1078, ISSN: 0953-2048, doi: 10.1088/0953-2048/12/12/309

Gozzelino L, Gerbaldo R, Ghigo G, Mezzetti E, Minetti B, Carlino E, Krabbes G, Schaetzle P, Cuttone G, Rovelli A (1999). Defects and self-organized vortices in melt-textured YBa₂Cu₃O_{7-x} RID C-4085-2009. SUPERCONDUCTOR SCIENCE & TECHNOLOGY, vol. 12, p. 1075-1078, ISSN: 0953-2048, doi: 10.1088/0953-2048/12/12/309

Mezzetti E, Crescio E, Gerbaldo R, Ghigo G, Gozzelino L, Minetti B, Gherardi L, Martini L, Cuttone G, Rovelli A (1999). Modification of bulk properties of Bi(1.8)Pb(0.33)Sr(1.87)Ca(2)Cu(3)O(y) tapes by means of

ion induced surface trenches RID C-4085-2009. IEEE TRANSACTIONS ON APPLIED SUPERCONDUCTIVITY, vol. 9, p. 1872-1875, ISSN: 1051-8223, doi: 10.1109/77.784823

Mezzetti E, Gerbaldo R, Ghigo G, Gozzelino L, Minetti B, Camerlingo C, Monaco A, Cuttone G, Rovelli A (1999). Control of the critical current density in YBa(2)Cu(3)O(7-delta) films by means of intergrain and intragrain correlated defects RID C-4085-2009. PHYSICAL REVIEW. B, CONDENSED MATTER AND MATERIALS PHYSICS, vol. 60, p. 7623-7630, ISSN: 1098-0121, doi: 10.1103/PhysRevB.60.7623

Ricciardi MV, Barone-Tonghi L, Cuttone G, Ciavola G, Di Bartolo G, Menna M, Fortuna G, Monti S, Tecchio L (1999). Dependence of exotic nuclides production on target and beam features RID C-4085-2009. ANNALS OF NUCLEAR ENERGY, vol. 26, p. 1643-1656, ISSN: 0306-4549, doi: 10.1016/S0306-4549(99)00045-6

Ricciardi MV, Barone-Tonghi L, Cuttone G, Ciavola G, Di Bartolo G, Menna M, Fortuna G, Monti S, Tecchio L (1999). Dependence of exotic nuclides production on target and beam features RID C-4085-2009. ANNALS OF NUCLEAR ENERGY, vol. 26, p. 1643-1656, ISSN: 0306-4549, doi: 10.1016/S0306-4549(99)00045-6

Finocchiaro P, Amato A, Ciavola G, Cosentino L, Cuttone G, Gu M, Raia G, Rovelli A (1998). Low intensity ion beam profiling with glass scintillating fibres RID G-5625-2010 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 419, p. 83-90, ISSN: 0168-9002, doi: 10.1016/S0168-9002(98)00919-X

Finocchiaro P, Amato A, Ciavola G, Cosentino L, Cuttone G, Gu M, Raia G, Rovelli A (1998). Low intensity ion beam profiling with glass scintillating fibres RID G-5625-2010 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 419, p. 83-90, ISSN: 0168-9002, doi: 10.1016/S0168-9002(98)00919-X

Finocchiaro P, Amato A, Ciavola G, Cuttone G, Gu M, Raia G, Rovelli A (1998). Scintillating detectors for low intensity ion beam monitoring RID G-5625-2010 RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 45, p. 508-511, ISSN: 0018-9499, doi: 10.1109/23.682437

P. FINOCCHIARO, A. AMATO, G. CIAVOLA, L. COSENTINO, CUTTONE G, M. GU, G. RAIA, A. ROVELLI (1998). "Low intensity ion beam profiling with glass scintillating fibres". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 419, p. 83-90, ISSN: 0168-9002

Aiello S, Finocchiaro P, Pirrone S, Bellia G, Cuttone G, Politi G, Rovelli A (1997). MINIT: A new gas detector for very low threshold particle identification RID G-5625-2010 RID A-5684-2008 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 400, p. 469-475, ISSN: 0168-9002, doi: 10.1016/S0168-9002(97)00907-8

Aiello S, Finocchiaro P, Pirrone S, Bellia G, Cuttone G, Politi G, Rovelli A (1997). MINIT: A new gas detector for very low threshold particle identification RID G-5625-2010 RID A-5684-2008 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 400, p. 469-475, ISSN: 0168-9002, doi: 10.1016/S0168-9002(97)00907-8

Ciavola G, Calabretta L, Cuttone G, DiBartolo G, Finocchiaro P, Gammino S, Gu M, Migneco E, Qin J, Raia G, Rifuggiato D, Rovelli A, Vinciguerra D, Wollnik H (1997). Recent developments of the EXCYT project RID C-4085-2009 RID G-5625-2010. NUCLEAR PHYSICS. A, vol. 616, p. C69-C76, ISSN: 0375-9474

Ciavola G, Calabretta L, Cuttone G, DiBartolo G, Finocchiaro P, Gammino S, Gu M, Migneco E, Qin J, Raia G, Rifuggiato D, Rovelli A, Vinciguerra D, Wollnik H

(1997). The ISOL exotic beam facility at LNS: The EXCYT project RID C-4085-2009 RID G-5625-2010. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 126, p. 258-261, ISSN: 0168-583X, doi: 10.1016/S0168-583X(97)01105-1

Cuttone G, Marchetta C, Torrisi L, DellaMea G, Quaranta A, Rigato V, Zandolin S (1997). Surface treatment of HV electrodes for superconducting cyclotron beam extraction RID C-4085-2009. IEEE TRANSACTIONS ON DIELECTRICS AND ELECTRICAL INSULATION, vol. 4, p. 218-223, ISSN: 1070-9878, doi: 10.1109/94.595250

Finocchiaro P, Amato A, Ciavola G, Cuttone G, Gu M, Raia G, Rovelli A (1997). A scintillating fibre-based profiler for low intensity ion beams RID G-5625-2010 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 385, p. 31-36, ISSN: 0168-9002, doi: 10.1016/S0168-9002(96)00946-1

Finocchiaro P, Amato A, Ciavola G, Cuttone G, Gu M, Raia G, Rovelli A (1997). A scintillating fibre-based profiler for low intensity ion beams RID G-5625-2010 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 385, p. 31-36, ISSN: 0168-9002, doi: 10.1016/S0168-9002(96)00946-1

G. CIAVOLA, L. CALABRETTA, CUTTONE G, G. DI BARTOLO, P. FINOCCHIARO, S. GAMMINO, M. GU, E. MIGNECO, J. QIN, G. RAIA, D. RIFUGGIATO, A. ROVELLI, D. VINCIGUERRA, H. WOLLNIK (1997). "Recent development of the EXCYT project". NUCLEAR PHYSICS. A, vol. 616, p. 69c-76c, ISSN: 0375-9474

G. CIAVOLA, L. CALABRETTA, CUTTONE G, G. DI BARTOLO, P. FINOCCHIARO, S. GAMMINO, M. GU, E. MIGNECO, J. QIN, G. RAIA, D. RIFUGGIATO, A. ROVELLI, D. VINCIGUERRA, H. WOLLNIK (1997). "The ISOL exotic beam facility at LNS: the EXCYT project". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH.

SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 126, p. 258-261, ISSN: 0168-583X

L. TORRISI, CUTTONE G, A. ROVELLI, D. RIFUGGIATO, R. IMBISCUSO, L. RAFFAELE (1997). "Bragg-curve measurements for 24 MeV protons irradiating plastic-water". PHYSICA MEDICA, vol. XIII, p. 117-122, ISSN: 1120-1797

L. TORRISI, R. BARNÀ, D. DE PASQUALE, A. TRIFIRO', CUTTONE G, A. ROVELLI (1997). "On line measurements of proton flux by high energy backscattering spectroscopy". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 132, p. 534-539, ISSN: 0168-583X

S. AIELLO, P. FINOCCHIARO, S. PIRRONE, G. BELLIA, CUTTONE G, G. POLITI, A. ROVELLI (1997). "MINIT: a gas detector for very low threshold particle identification". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 400, p. 469-475, ISSN: 0168-9002

S. AIELLO, P. FINOCCHIARO, S. PIRRONE, G. BELLIA, CUTTONE G, G. POLITI, A. ROVELLI (1997). "MINIT: a gas detector for very low threshold particle identification". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 400, p. 469-475, ISSN: 0168-9002

Torrissi L, Barna R, DePasquale D, Trifiro A, Cuttone G, Rovelli A (1997). On line measurements of proton flux by high energy backscattering spectroscopy RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 132, p. 534-539, ISSN: 0168-583X, doi: 10.1016/S0168-583X(97)00442-4

Torrissi L, Cuttone G, Kaidi M, Gentile C, Makhtari A, DellaMea G, Quaranta A, Rigato V (1997). Titanium nitride insulation for the deflector of superconducting cyclotrons RID C-4085-2009. IEEE TRANSACTIONS ON

DIELECTRICS AND ELECTRICAL INSULATION, vol. 4, p. 300-305, ISSN: 1070-9878, doi: 10.1109/94.598286

Torrise L, Cuttone G, Rovelli A, Bellia G, Tonghi LB, Raffaele L, Licandro M (1997). Energy loss measurements of 27 MeV protons irradiating water-equivalent materials RID C-4085-2009 RID A-5684-2008. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 129, p. 147-152, ISSN: 0168-583X, doi: 10.1016/S0168-583X(97)00210-3

Torrise L, Cuttone G, Rovelli A, Bellia G, Tonghi LB, Raffaele L, Licandro M (1997). Energy loss measurements of 27 MeV protons irradiating water-equivalent materials RID C-4085-2009 RID A-5684-2008. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION B, BEAM INTERACTIONS WITH MATERIALS AND ATOMS, vol. 129, p. 147-152, ISSN: 0168-583X, doi: 10.1016/S0168-583X(97)00210-3

Torrise L, Cuttone G, Rovelli A, Rifuggiato D, Imbiscuso R, Raffaele L (1997). Bragg-curve measurements for 24 MeV protons irradiating plastic-water RID C-4085-2009. PHYSICA MEDICA, vol. 13, p. 117-122, ISSN: 1120-1797

Torrise L, Cuttone G, Rovelli A, Rifuggiato D, Imbiscuso R, Raffaele L (1997). Bragg-curve measurements for 24 MeV protons irradiating plastic-water RID C-4085-2009. PHYSICA MEDICA, vol. 13, p. 117-122, ISSN: 1120-1797

A. ROVELLI, CUTTONE G, D. GIOVE, A. AMATO, S, CAVALLARO, S. PULVIRENTI (1996). "The LNS computer control system for the commissioning of the superconducting cyclotron". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 382, p. 147-152, ISSN: 0168-9002

Calabretta L, Ciavola G, Cuttone G, Gammino S, Gmaj P, Migneco E, Raia G, Rifuggiato D, Rovelli A, Sura J, Scuderi V, Acerbi E, Alessandria F, Bellomo G, Bosotti A, DeMartinis C, Giove D, Michelato P, Pagani C, Rossi L (1996). First operations of the LNS heavy ions facility RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN

PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 382, p. 140-146, ISSN: 0168-9002, doi: 10.1016/S0168-9002(96)00503-7

Calabretta L, Ciavola G, Cuttone G, Gammino S, Gmaj P, Migneco E, Raia G, Rifuggiato D, Rovelli A, Sura J, Scuderi V, Acerbi E, Alessandria F, Bellomo G, Bosotti A, DeMartinis C, Giove D, Michelato P, Pagani C, Rossi L (1996). First operations of the LNS heavy ions facility RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 382, p. 140-146, ISSN: 0168-9002, doi: 10.1016/S0168-9002(96)00503-7

Ciavola G, Alba R, Calabretta L, Cuttone G, diBartolo G, Gammino S, Migneco E, Raia G, Rifuggiato D, Rovelli A, Sura J, Vinciguerra D, Wollnik H (1996). The EXCYT RIB facility at LNS RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 382, p. 186-191, ISSN: 0168-9002, doi: 10.1016/S0168-9002(96)00500-1

Ciavola G, Alba R, Calabretta L, Cuttone G, diBartolo G, Gammino S, Migneco E, Raia G, Rifuggiato D, Rovelli A, Sura J, Vinciguerra D, Wollnik H (1996). The EXCYT RIB facility at LNS RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 382, p. 186-191, ISSN: 0168-9002, doi: 10.1016/S0168-9002(96)00500-1

L. CALABRETTA, G. CIAVOLA, CUTTONE G, S. GAMMINO, P. GMAJ, E. MIGNECO, G. RAIA, D. RIFUGGIATO, A. ROVELLI, J. SUR, V. SCUDERI, E. ACERBI, F. ALESSANDRIA, G. BELLOMO, A. BOSOTTI, C. DE MARTINIS, D. GIOVE, P. MICHELATO, C. PAGANI, L. ROSSI (1996). "First operations of the LNS heavy ions facility". NUCLEAR INSTRUMENTS & METHODS IN

PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 382, p. 140-146, ISSN: 0168-9002

Rovelli A, Cuttone G, Giove D, Amato A, Cavallaro S, Pulvirenti S (1996). The LNS computer control system for the commissioning of the superconducting cyclotron RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 382, p. 147-152, ISSN: 0168-9002, doi: 10.1016/S0168-9002(96)00700-0

Rovelli A, Cuttone G, Giove D, Amato A, Cavallaro S, Pulvirenti S (1996). The LNS computer control system for the commissioning of the superconducting cyclotron RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 382, p. 147-152, ISSN: 0168-9002, doi: 10.1016/S0168-9002(96)00700-0

FINOCCHIARO P, CUTTONE G, ROVELLI A (1995). A DIGITAL TRIGGER FOR HEAVY-ION EXPERIMENTS AT LNS RID G-5625-2010 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 362, p. 472-477, ISSN: 0168-9002, doi: 10.1016/0168-9002(95)00209-X

FINOCCHIARO P, CUTTONE G, ROVELLI A (1995). A DIGITAL TRIGGER FOR HEAVY-ION EXPERIMENTS AT LNS RID G-5625-2010 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 362, p. 472-477, ISSN: 0168-9002, doi: 10.1016/0168-9002(95)00209-X

CUTTONE G, ROVELLI A, AMATO A, PULVIRENTI S, GIOVE D (1994). OPERATIONAL EXPERIENCE WITH THE CONTROL-SYSTEM OF THE LNS SUPERCONDUCTING

CYCLOTRON RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 41, p. 188-193, ISSN: 0018-9499, doi: 10.1109/23.281487

CUTTONE G, ROVELLI A, AMATO A, PULVIRENTI S, GIOVE D (1994). OPERATIONAL EXPERIENCE WITH THE CONTROL-SYSTEM OF THE LNS SUPERCONDUCTING CYCLOTRON RID C-4085-2009. IEEE TRANSACTIONS ON NUCLEAR SCIENCE, vol. 41, p. 188-193, ISSN: 0018-9499, doi: 10.1109/23.281487

CIAVOLA G, CALABRETTA L, CUTTONE G, GAMMINO S, RAIA G, RIFUGGIATO D, ROVELLI A, SCUDERI V (1993). RECENT IMPROVEMENTS OF THE TANDEM FACILITY AT LNS RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 328, p. 64-67, ISSN: 0168-9002, doi: 10.1016/0168-9002(93)90603-F

CIAVOLA G, CALABRETTA L, CUTTONE G, GAMMINO S, RAIA G, RIFUGGIATO D, ROVELLI A, SCUDERI V (1993). RECENT IMPROVEMENTS OF THE TANDEM FACILITY AT LNS RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 328, p. 64-67, ISSN: 0168-9002, doi: 10.1016/0168-9002(93)90603-F

G. CIAVOLA, L. CALABRETTA, CUTTONE G, S. GAMMINO, G. RAIA, D. RIFUGGIATO, A. ROVELLI (1993). "Recent improvements of the tandem facility at LNS". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 328, p. 64-67, ISSN: 0168-9002

FINOCCHIARO P, CUTTONE G, GIOVE D (1992). A TRANSPUTER BASED HIGH-LEVEL DIGITAL TRIGGER SYSTEM FOR NUCLEAR-PHYSICS EXPERIMENTS RID G-5625-2010 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS,

DETECTORS AND ASSOCIATED EQUIPMENT, vol. 314, p. 178-184, ISSN: 0168-9002, doi: 10.1016/0168-9002(92)90511-2

FINOCCHIARO P, CUTTONE G, GIOVE D (1992). A TRANSPUTER BASED HIGH-LEVEL DIGITAL TRIGGER SYSTEM FOR NUCLEAR-PHYSICS EXPERIMENTS RID G-5625-2010 RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 314, p. 178-184, ISSN: 0168-9002, doi: 10.1016/0168-9002(92)90511-2

P. FINOCCHIARO, CUTTONE G, D. GIOVE (1992). "A transputer based high level digital trigger system for nuclear physics experiments with multidetectors". NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 314, p. 178-184, ISSN: 0168-9002

CIAVOLA G, CALABRETTA L, CUTTONE G, RAIA G, SCUDERI V (1990). STATUS OF THE CATANIA TANDEM AS INJECTOR OF THE SUPERCONDUCTING CYCLOTRON RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 287, p. 21-25, ISSN: 0168-9002, doi: 10.1016/0168-9002(90)91760-9

CIAVOLA G, CALABRETTA L, CUTTONE G, RAIA G, SCUDERI V (1990). STATUS OF THE CATANIA TANDEM AS INJECTOR OF THE SUPERCONDUCTING CYCLOTRON RID C-4085-2009. NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH. SECTION A, ACCELERATORS, SPECTROMETERS, DETECTORS AND ASSOCIATED EQUIPMENT, vol. 287, p. 21-25, ISSN: 0168-9002, doi: 10.1016/0168-9002(90)91760-9

G. CIAVOLA, L. CALABRETTA, CUTTONE G, G. RAIA, SCUDERI (1990). "Status of the Catania Tandem as injector of the Superconducting Cyclotron". NUCLEAR

INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION A, ACCELERATORS, SPECTROMETERS,
DETECTORS AND ASSOCIATED EQUIPMENT, vol. 287, p.
21-25, ISSN: 0168-9002

CUTTONE G, AGHION F, GIOVE D (1989). A
HIGH-PERFORMANCE NETWORK FOR A
DISTRIBUTED-CONTROL SYSTEM. NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION B, BEAM INTERACTIONS WITH MATERIALS
AND ATOMS, vol. 40-1, p. 978-980, ISSN: 0168-583X, doi:
10.1016/0168-583X(89)90520-X

CUTTONE G, AGHION F, GIOVE D (1989). A
HIGH-PERFORMANCE NETWORK FOR A
DISTRIBUTED-CONTROL SYSTEM. NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION B, BEAM INTERACTIONS WITH MATERIALS
AND ATOMS, vol. 40-1, p. 978-980, ISSN: 0168-583X, doi:
10.1016/0168-583X(89)90520-X

GIOVE D, AGHION F, CUTTONE G (1989).
PERFORMANCES OF THE DISTRIBUTED
CONTROL-SYSTEM OF THE MILAN
SUPERCONDUCTING CYCLOTRON. NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION B, BEAM INTERACTIONS WITH MATERIALS
AND ATOMS, vol. 40-1, p. 981-983, ISSN: 0168-583X, doi:
10.1016/0168-583X(89)90521-1

GIOVE D, AGHION F, CUTTONE G (1989).
PERFORMANCES OF THE DISTRIBUTED
CONTROL-SYSTEM OF THE MILAN
SUPERCONDUCTING CYCLOTRON. NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION B, BEAM INTERACTIONS WITH MATERIALS
AND ATOMS, vol. 40-1, p. 981-983, ISSN: 0168-583X, doi:
10.1016/0168-583X(89)90521-1

CALABRETTA L, CUTTONE G, GIOVE D, RAIA G (1988).
BEAM DIAGNOSTIC ELEMENTS AT THE
LABORATORIO-NAZIONALE-DEL-SUD. NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION A, ACCELERATORS, SPECTROMETERS,
DETECTORS AND ASSOCIATED EQUIPMENT, vol. 268, p.

496-502, ISSN: 0168-9002, doi:
10.1016/0168-9002(88)90566-9

CALABRETTA L, CUTTONE G, GIOVE D, RAIA G (1988).
BEAM DIAGNOSTIC ELEMENTS AT THE
LABORATORIO-NAZIONALE-DEL-SUD. NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION A, ACCELERATORS, SPECTROMETERS,
DETECTORS AND ASSOCIATED EQUIPMENT, vol. 268, p.
496-502, ISSN: 0168-9002, doi:
10.1016/0168-9002(88)90566-9

CUTTONE G, GIOVE D, MICHELATO P (1988). MODERN
CONTROL AND DATA ACQUISITION-SYSTEMS FOR
LARGE VACUUM PLANTS. VACUUM, vol. 38, p. 727-730,
ISSN: 0042-207X, doi: 10.1016/0042-207X(88)90450-2

CUTTONE G, GIOVE D, MICHELATO P (1988). MODERN
CONTROL AND DATA ACQUISITION-SYSTEMS FOR
LARGE VACUUM PLANTS. VACUUM, vol. 38, p. 727-730,
ISSN: 0042-207X, doi: 10.1016/0042-207X(88)90450-2

L. CALABRETTA, CUTTONE G, D. GIOVE, G. RAIA (1988).
"Beam diagnostic elements at LNS". NUCLEAR
INSTRUMENTS & METHODS IN PHYSICS RESEARCH.
SECTION A, ACCELERATORS, SPECTROMETERS,
DETECTORS AND ASSOCIATED EQUIPMENT, vol. 268, p.
496-502, ISSN: 0168-9002

CIAVOLA G, DIBERNARDO P, CALABRETTA L, CUTTONE
G (1986). "The new 500 kV preinjector at LNS in Catania".
NUCLEAR INSTRUMENTS & METHODS IN PHYSICS
RESEARCH. SECTION A, ACCELERATORS,
SPECTROMETERS, DETECTORS AND ASSOCIATED
EQUIPMENT, vol. 244, p. 162-165, ISSN: 0168-9002, doi:
10.1016/0168-9002(86)90759-X

G. CIAVOLA, P. DI BERNARDO, L. CALABRETTA,
CUTTONE G (1986). "The new 500 kV preinjector at LNS
in Catania". NUCLEAR INSTRUMENTS & METHODS IN
PHYSICS RESEARCH. SECTION A, ACCELERATORS,
SPECTROMETERS, DETECTORS AND ASSOCIATED
EQUIPMENT, vol. 244, p. 162-165, ISSN: 0168-9002